



HAL
open science

Anthropogenic plumes from metropolitan areas and biomass burning emissions in West Africa during DACCIWA - airborne measurements on board the DLR Falcon 20

Greta Stratmann, Hans Schlager, Daniel Sauer, Vanessa Brocchi, Valery Catoire, Robert Baumann

► To cite this version:

Greta Stratmann, Hans Schlager, Daniel Sauer, Vanessa Brocchi, Valery Catoire, et al.. Anthropogenic plumes from metropolitan areas and biomass burning emissions in West Africa during DACCIWA - airborne measurements on board the DLR Falcon 20. 19th EGU General Assembly, Apr 2017, Vienne, Austria. pp.17272. insu-03568127

HAL Id: insu-03568127

<https://hal-insu.archives-ouvertes.fr/insu-03568127>

Submitted on 13 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution| 4.0 International License

Anthropogenic plumes from metropolitan areas and biomass burning emissions in West Africa during DACCIWA – airborne measurements on board the DLR Falcon 20

Greta Stratmann (1), Hans Schlager (1), Daniel Sauer (1), Vanessa Brocchi (2), Valery Catoire (2), and Robert Baumann (1)

(1) Deutsches Zentrum für Luft- und Raumfahrt (DLR), Institut für Physik der Atmosphäre, Oberpfaffenhofen, Germany, (2) Laboratoire de Physique et Chimie de l'Environnement et de l'Espace (LPC2E), CNRS – Université Orléans, 45071 Orléans cedex 2, France

The DACCIWA (Dynamics-Aerosol-Chemistry-Cloud Interactions over West Africa) airborne field campaign was conducted in Southern West Africa in June/July 2016. Three European research aircraft (DLR - Falcon 20, SAFIRE - ATR 42 and BAS - Twin Otter) were deployed from Lomé/Togo and conducted research flights across Ivory Coast, Ghana, Togo and Benin. On board the DLR Falcon O_3 , SO_2 , CO, NO_2 and aerosol fine mode particle number concentration and size distribution were measured during a total of 12 scientific flights.

Until now only few airborne trace gas measurements were conducted in Southern West Africa. Therefore, this field experiment contributes to the knowledge of the chemical composition of the lower troposphere between 0 – 4 km. During several flights pollution plumes from major population centers – Lomé/Togo, Accra/Ghana, Kumasi/Ghana, and Abidjan/Ivory Coast – were probed below, inside and above clouds. Here, enhanced trace gas and particle concentrations were observed. In addition, plumes from biomass burning emissions were detected which were transported to West Africa. The composition of the pollution plumes are presented as well as transport pathways using HYSPLIT (Hybrid Single-Particle Lagrangian Integrated Trajectories) trajectory calculations. Ozone enhancements in the biomass burning pollution plumes of up to 70 ppb were observed compared to background concentrations of \sim 30-40 ppb.

Furthermore, HYSPLIT atmospheric dispersion simulations are used to estimate anthropogenic SO_2 city emissions.