



ExoClock Project. II. A Large-scale Integrated Study with 180 Updated Exoplanet Ephemerides

A. Kokori, A. Tsiaras, B. Edwards, M. Rocchetto, G. Tinetti, L. Bewersdorff, Y. Jongen, G. Lekkas, G. Pantelidou, E. Poultourtzidis, et al.

► To cite this version:

A. Kokori, A. Tsiaras, B. Edwards, M. Rocchetto, G. Tinetti, et al.. ExoClock Project. II. A Large-scale Integrated Study with 180 Updated Exoplanet Ephemerides. The Astrophysical Journal Supplement Series, 2022, 258, 10.3847/1538-4365/ac3a10 . insu-03678904

HAL Id: insu-03678904

<https://insu.hal.science/insu-03678904>

Submitted on 25 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



ExoClock Project. II. A Large-scale Integrated Study with 180 Updated Exoplanet Ephemerides

A. Kokori¹ , A. Tsiaras^{1,2} , B. Edwards^{1,3} , M. Rocchetto¹, G. Tinetti¹ , L. Bewersdorff⁴, Y. Jongen⁵, G. Lekkas⁶, G. Pantelidou⁷, E. Poultourtzidis⁷, A. Wünsche⁸, C. Aggelis⁹, V. K. Agnihotri⁴, C. Arena¹⁰, M. Bachschmidt⁴, D. Bennett^{11,12}, P. Benni⁴, K. Bernacki¹³, E. Besson⁴, L. Betti^{14,15}, A. Biagini^{15,16,17}, P. Brandebourg⁴, M. Bretton⁸, S. M. Brincat¹⁸ , M. Caló⁴, F. Campos⁴, R. Casali⁴, R. Ciantini^{14,15}, M. V. Crow^{12,19}, B. Dauchet²⁰, S. Dawes^{12,19}, M. Deldem⁴, D. Deligeorgopoulos⁴, R. Dymock¹², T. Eenmäe²¹, P. Evans²², N. Esseiva⁴, C. Falco¹⁷, S. Ferratiat⁸, M. Fowler^{12,23}, S. R. Futcher^{12,24}, J. Gaitan⁴, F. Grau Horta⁴ , P. Guerra²⁵ , F. Hurter⁴, A. Jones¹², W. Kang²⁶, H. Kiiskinen⁴, T. Kim^{26,27}, D. Laloum²⁸, R. Lee⁴, F. Lomož^{29,30}, C. Lopresti³¹, M. Mallonn³² , M. Mannucci³³, A. Marino⁴, J.-C. Mario⁴, J.-B. Marquette³⁵, J. Michelet⁴, M. Miller^{12,18}, T. Mollier⁴, D. Molina³⁶, N. Montigiani³³, F. Mortari⁴, M. Morvan¹ , L. V. Mugnai³⁷ , L. Naponiello^{14,15}, A. Nastasi¹⁷, R. Neito²¹, E. Pace^{14,15}, P. Papadeas⁹, N. Paschalidis⁴, C. Pereira³⁸, V. Perroud⁴, M. Phillips^{12,39}, P. Pintr⁴⁰, J.-B. Pioppa^{18,41}, A. Popowicz¹³, M. Raetz^{42,43}, F. Regembal⁴, K. Rickard⁴, M. Roberts⁴, L. Rousselot²⁸, X. Rubia⁴⁴, J. Savage¹², D. Sedita⁴, D. Shave-Wall⁴, N. Sioulas⁴, V. Školník⁴, M. Smith⁴, D. St-Gelais¹⁸, D. Stouraitis⁴, I. Strikis⁹, G. Thurston¹², A. Tomacelli³⁴, A. Tomatis⁴, B. Trevan⁴, P. Valeau⁴, J.-P. Vignes⁴, K. Vora⁴, M. Vrašták³⁰, F. Walter^{30,45}, B. Wenzel^{42,46}, D. E. Wright^{12,47}, and M. Zíbar³⁰

¹ University College London, Gower Street, London, WC1E 6BT, UK; anastasia.kokori.19@ucl.ac.uk

² INAF—Osservatorio Astrofisico di Arcetri, Largo E. Fermi 5, I-50125 Firenze, Italy

³ AIM, CEA, CNRS, Université Paris-Saclay, Université de Paris, F-91191 Gif-sur-Yvette, France

⁴ Amateur Astronomer

⁵ Observatoire de Vaison-La-Romaine, Départementale 51, près du Centre Equestre au Palis—F-84110 Vaison-La-Romaine, France

⁶ Department of Physics, University of Ioannina, Ioannina, 45110, Greece

⁷ Department of Physics, Aristotle University of Thessaloniki, University Campus, Thessaloniki, 54124, Greece

⁸ Observatoire des Baronnies Provençales, Route de Nyons, F-05150 Moydans, France

⁹ Hellenic Amateur Astronomy Association, Greece

¹⁰ Gruppo Astrofili Catanesi, Via Milo, 28, I-95125 Catania CT, Italy

¹¹ Bristol Astronomical Society, UK

¹² British Astronomical Association, Burlington House, Piccadilly, Mayfair, London, W1J 0DU, UK

¹³ Department of Electronics, Electrical Engineering and Microelectronics (SUTO Group), Silesian University of Technology, Akademicka 16, 44-100 Gliwice, Poland

¹⁴ Dipartimento di Fisica e Astronomia, Università degli Studi di Firenze, Largo E. Fermi 2, I-50125 Firenze, Italy

¹⁵ Osservatorio Polifunzionale del Chianti, Strada Provinciale Castellina in Chianti, 50021 Barberino Val d'elsa FI, Italy

¹⁶ University of Palermo, Piazza Marina, 61, I-90133 Palermo PA, Italy

¹⁷ GAL Hassin—Centro Internazionale per le Scienze Astronomiche, Via della Fontana Mitri, I-90010 Isnello, Palermo, Italy

¹⁸ AAVSO, 49 Bay State Road, Cambridge, MA 02138, USA

¹⁹ Crayford Manor House Astronomical Society Dartford, Parsonage Lane Pavilion, Parsonage Lane, Sutton-at-Hone, Dartford, Kent, DA4 9HD, UK

²⁰ Astroqueyras Astronomical Society, France

²¹ Tartu Observatory, Observatoriumi 1, Tõravere, 61602 Tartu maakond, Estonia

²² El Sauce Observatory, Coquimbo Province, Chile

²³ South Wonston Exoplanet Factory, UK

²⁴ Hampshire Astronomical Group, Hinton Manor Lane, Clanfield, Waterlooville PO8 0QR, UK

²⁵ Observatori Astronòmic Albanyà, Camí de Bassegoda S/N, Albanyà E-17733, Girona, Spain

²⁶ National Youth Space Center, Goheung, Jeollanam-do, 59567, Republic of Korea

²⁷ Department of Astronomy and Space Science, Chungbuk National University, Cheongju-City, 28644, Republic of Korea

²⁸ Société Astronomique de France, 3, rue Beethoven F-75016 Paris, France

²⁹ Hvězdárna Sečdlny, Ke Hvězdámě, 264 01 Sečdlny, Czech Republic

³⁰ Czech Astronomical Society, Fričova 298 251 65 Ondřejov, Czech Republic

³¹ GAD—Gruppo Astronomia Digitale, Italy

³² Leibniz Institute for Astrophysics Potsdam (AIP), An der Sternwarte 16, D-14482 Potsdam, Germany

³³ Associazione Astrofili Fiorentini, Italy

³⁴ Unione Astrofili Napoletani, Salita Moiariello, 16, CAP I-80131 Napoli NA, Italy

³⁵ Laboratoire d'astrophysique de Bordeaux, Univ. Bordeaux, CNRS, B18N, allée Geoffroy Saint-Hilaire F-33615 Pessac, France

³⁶ Asociación Astronómica Astro Henares, Centro de Recursos Asociativos El Cerro C/ Manuel Azaña, s/n E-28823 Coslada, Madrid, Spain

³⁷ Department of Physics, La Sapienza Università di Roma, Piazzale Aldo Moro 2, I-00185 Roma, Italy

³⁸ Instituto de Astrofísica e Ciências do Espaço, Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Campo Grande, PT1749-016 Lisboa, Portugal

³⁹ Astronomical Society of Edinburgh, UK

⁴⁰ Institute of Plasma Physics AS CR, v.v. i., TOPTEC centre, Sobotecká 1660, 511 01 Turnov, Czech Republic

⁴¹ Groupe d'Astronomie Populaire de la Région d'Antibes, 2, Rue Marcel-Paul F-06160 Juan-Les-Pins, France

⁴² Bundesdeutsche Arbeitsgemeinschaft für Veränderliche Sterne e.V., Germany

⁴³ Volkssternwarte Kirchheim e.V., Arnstädter Str. 49, D-99334 Kirchheim, Germany

⁴⁴ Agrupació Astronòmica de Sabadell, Carrer Prat de la Riba, 116, E-08206 Sabadell, Barcelona, Spain

⁴⁵ Štefánik Observatory, Strahovská 205, 118 00 Praha 1, Czech Republic

⁴⁶ University of Vienna, Universitätsring 1, A-1010 Vienna, Austria⁴⁷ Basingstoke Astronomical Society, Cliddesden Primary School, Cliddesden, Basingstoke, Hampshire, RG25 2QU, UK

Received 2021 July 6; revised 2021 October 26; accepted 2021 November 9; published 2022 February 9

Abstract

The ExoClock project is an inclusive, integrated, and interactive platform that was developed to monitor the ephemerides of the Ariel targets to increase the mission efficiency. The project makes the best use of all available resources, i.e., observations from ground telescopes, midtime values from the literature, and finally, observations from space instruments. Currently, the ExoClock network includes 280 participants with telescopes capable of observing 85% of the currently known Ariel candidate targets. This work includes the results of \sim 1600 observations obtained up to 2020 December 31 from the ExoClock network. These data in combination with \sim 2350 midtime values collected from the literature are used to update the ephemerides of 180 planets. The analysis shows that 40% of the updated ephemerides will have an impact on future scheduling as either they have a significantly improved precision or they have revealed biases in the old ephemerides. With the new observations, the observing coverage and rate for half of the planets in the sample has been doubled or more. Finally, from a population perspective, we identify that the differences in the 2028 predictions between the old and the new ephemerides have an STD that is double what is expected from Gaussian uncertainties. These findings have implications for planning future observations, where we will need to account for drifts potentially greater than the prediction uncertainties. The updated ephemerides are open and accessible to the wider exoplanet community both from our Open Science Framework repository and our website.

Unified Astronomy Thesaurus concepts: [Transit photometry \(1709\)](#); [Ephemerides \(464\)](#); [Exoplanets \(498\)](#); [Amateur astronomy \(35\)](#)

1. Introduction

Follow-up observations of known transiting exoplanets are important to properly plan future observations with larger facilities in order to avoid wasting part of their observing time. While the transit times of near future events are predicted with relatively good accuracy, several factors prevent accurate predictions far into the future. First, the limited amount of available data for each planet introduces biases on the ephemeris estimation (e.g., Benneke et al. 2017; Mallonn et al. 2019b). Moreover, the precision of the predicted transit times is degrading with time due to the uncertainties of the initial ephemerides (e.g., Mallonn et al. 2019b). For example, planets that were recently discovered by TESS had initial ephemerides with very high uncertainties (e.g., Dragomir et al. 2020; Zellem et al. 2020). These ephemerides were only improved by follow-up observations and data from the extended TESS mission. Other issues that might result in biases in transit times include tidal orbital decays, gravitational interactions with other bodies, or apsidal precession (e.g., Agol et al. 2005; Maciejewski et al. 2016a; Bouma et al. 2019).

Future space missions aiming to characterize exoplanets require a good knowledge of transit times in order to increase the efficiency of the mission. The Ariel mission will spectroscopically observe the atmospheres of 1000 planets in order to investigate their nature. It will observe thousands of transits so it is crucial to improve the currently known ephemerides.

The importance and efficiency of using small-sized telescopes for observing transits has been highlighted in several works (e.g., Beck et al. 2019; Kabáth et al. 2019; Mallonn et al. 2019b; Zellem et al. 2020; Edwards et al. 2021; Kokori et al. 2021). In this regard, their contribution to planning observations for future space missions is of high significance. Since Ariel will observe a large number of planets, it is necessary to

provide a list with verified ephemerides before the launch of the mission.

The best use of resources can be achieved through large-scale efforts that integrate data from various sources. These sources include data from the literature, data from telescopes of any size—even small ones—and, finally, data from space for the most challenging targets. ExoClock is such a project; it is an open, integrated platform that aims to monitor the ephemerides of the Ariel candidate targets. The nature, architecture, and organization of the project are described in detail in Kokori et al. (2021).

In Kokori et al. (2021) a first round of ephemerides updates was presented for 28 planets. The ExoClock project has been in operation since 2019 September and in the course of this effort it became clear that many planets have large scatter in the $O - C$ diagrams or they do not have many observations. Therefore, such targets require continuous monitoring and a longer time coverage of observations to decrease their current or predicted uncertainties.

In this work, we present the first large-scale update to the ephemerides of 180 planets. The refined ephemerides have been derived from a combination of midtimes from both ExoClock observations and literature data. The literature research includes a collection of the majority of midtimes from previous publications for all 180 planets. The results show that a considerable number of planets have midtimes derived from only a small number of past observations, in many cases from the discovery data alone. The absence of an adequate number of observations leads to increased uncertainties in the ephemerides. This highlights the importance of the continuous monitoring provided by ExoClock. Apart from its role to support the Ariel space mission, ExoClock aims to act as a community service with reliable ephemerides to be utilized for other exoplanet research purposes.

2. The ExoClock Network

At the time of this writing, the ExoClock network includes 280 participants (80% are amateur astronomers) and 300 telescopes with sizes ranging between 6 and 40 inches (80% are smaller than 17 inches). A full list of private observatories is outlined in Table 1. We calculate the signal-to-noise ratio (S/N) for each



Original content from this work may be used under the terms of the [Creative Commons Attribution 4.0 licence](#). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.




Figure 1. Cumulative percentage of observable planets as a function of the telescope size.

planet-telescope combination based on Equation (1). If S/N is higher than 15, then the planet is flagged as accessible.

$$S/N = aD\sqrt{10^{\frac{12-R_{\text{mag}}}{2.5}}} \frac{T_{Dp}}{\sqrt{\frac{1}{T_{Dr}} + \frac{1}{120}}} \quad (1)$$

where a is a constant, D is the telescope aperture in inches, R_{mag} is the R magnitude of the star, T_{Dp} is the transit depth in mmag, and T_{Dr} is the transit duration in minutes.

The factor a was estimated empirically based on observations acquired from the Holomon Astronomical station of the Aristotle University of Thessaloniki in Greece. The data were obtained with an 11 inch telescope, an ATIK11000 camera, and a Red (Cousins) filter. This can be considered as a representative example of a system capable of performing transit observations. Assuming that an observation starts one hour before the transit, ends one hour after the transit, has an exposure time of one minute, and has overheads of 30 s, the value of a is equal to 0.0125. In the course of the project, this factor is updated for each telescope based on the quality of the observations acquired.

Compared to Kokori et al. (2021), here we can take into account the updated number and the updated capabilities of the telescopes in our network—alongside the observability constraints (host star above 20° , transit duration shorter than 6 hr)—and better estimate the capabilities of the network as a whole. Figure 1 shows the cumulative percentage of observable planets as a function of the telescope size. The large number and the global distribution of telescopes smaller than 17 inches ensures that the majority of our targets (75%) are observable with this type of equipment. The larger telescopes can contribute an additional 10%, leading to a total of 85% of observable planets from the list of currently known planets that are candidates for Ariel (Edwards et al. 2019). Given the limited time available to larger facilities, this kind of telescope distribution is proven to be very efficient for achieving a large-scale follow-up program.

3. Data Acquisition and Evaluation

3.1. ExoClock Data

As part of the ExoClock website⁴⁸ we provide a personalized scheduler for each observer, a suggested protocol on how to

acquire data, and the data analysis software⁴⁹ to perform reduction and photometry. We refer the interested reader to Kokori et al. (2021) for more details. The most important aspects of the observing protocol include the use of the Red Cousins filter, the acquisition of data from one hour before the transit start until one hour after the transit end, and the regular check of the system clock to ensure accurate time-stamping of data. The above do not constitute requirements but only suggestions, as we welcome contributions of any kind. If the uploaded data do not include uncertainties, these are estimated with a moving standard deviation.

To ensure the high quality and homogeneity of observations, we perform light-curve modeling on the ExoClock website, using our dedicated exoplanet catalog for the planet parameters (the Exoplanet Characterization Catalog) and the open source Python package PyLightcurve⁵⁰ (Tsiaras et al. 2016) for transit modeling. Again, we refer the interested reader to Kokori et al. (2021), while here we give a summary of the process. For every transit, we convert the time to BJD_{TDB}; we then fix all the transit parameters with the exception of the planet-to-star radius ratio and the midtime, and also we calculate the limb-darkening coefficients using the ExoTETHyS⁵¹ (Morello et al. 2020) package for the specific photometric filter used. Finally, we fit the light curve with a transit model (exposure-integrated) together with a trend model (linear with airmass, linear with time, or quadratic with time based on the chi-squared of the residuals) using the nested sampling techniques as implemented in the Nestle package.⁵² After a first fit on the data, we scale the uncertainties to match the standard deviation of the residuals and re-fit. This way, we take into account any extra scatter in the observation and end up with a conservative estimate of the uncertainties in the final results.

In this work, we considered 180 planets that had at least two ExoClock observations submitted to the website before the end of 2020 and which met the required quality standards. We assess the quality of each light curve individually, based on three criteria, as listed below.

1. The fitted R_p/R_s should not differ by more than 3σ from the expected literature value. The only exceptions to this rule are planets that orbit stars with physical or projected companions (e.g., HAT-P-1b, K2-29b, WASP-77Ab, WASP-85Ab, XO2-Nb) or planets with grazing transits (e.g., WASP-45b, WASP-67b).
2. The autocorrelation and the Shapiro statistic for the normalized residuals should not differ by more than 3σ from the values for pure white noise at the same time. We estimated these limits as a function of the number of data points in a light curve from 100,000 simulated time series. The advantage of these metrics is that they are very sensitive to systematic noise and to outliers.
3. The fitted transit time should not have an uncertainty greater than 10 minutes and it should be in agreement with other observations on the same day or a few days apart (if such observations exist).

The total number of approved light curves for this data release is ~ 1600 , spanning the period from 2008 to 2020. For

⁴⁹ github.com/ExoWorldsSpies/hops

⁵⁰ github.com/ucl-exoplanets/pylightcurve

⁵¹ <https://github.com/ucl-exoplanets/ExoTETHyS>

⁵² github.com/kbarbary/nestle




Figure 2. Distributions of the achieved uncertainties on the midtransit time from all the ExoClock observations.

the majority ($\sim 60\%$) of the planets, the number of observations is lower than or equal to 10, indicating that more observations in the future are necessary. (For a discussion on the coverage achieved by our observations see Section 6.2.)

The overall precision achieved in the transit timing can be evaluated from Figure 2, where the majority of the observations ($\sim 90\%$) deliver a precision better than three minutes. Additionally, Figure 3 shows the autocorrelation and the Shapiro diagnostics as a function of the light-curve length, together with the acceptable upper limit. Of these light curves, 7% fail the autocorrelation test mostly due to spot-crossing events or weather. However, these light curves pass the R_p/R_s and the Shapiro test as these events do not cause strong residuals. These light curves will be flagged in the final data product to warn anyone who wishes to use them.

3.2. Literature Data

Approximately 2350 transit midtime values were collected from the literature for the 180 planets in our sample. While collecting the literature midtimes we:

1. included individual transit-time measurements and not ephemerides, with the exception of the discovery paper,
2. included transit-time measurements with uncertainties less than 10 minutes (similarly to the restriction for the ExoClock data),
3. did not include measurements that came from the Exoplanet Transit Database (ETD, Poddaný et al. 2010) to avoid duplications, as we have started sharing data directly with the ETD collaboration (see Section 3.3) and these data will be directly linked to ExoClock, and
4. converted the reported time formats to BJD_{TDB}.

We need to note here that 35% of the planets in our sample have only one data point from the literature, related to the discovery of the planet. This statistic reveals a significant gap in the literature and highlights the need for a large-scale follow-up project like ExoClock.

3.3. ETD Data

In an effort to make the best use of all available resources, we would like to collaborate with other ground networks which

have current or past observations of the Ariel candidate targets. At the moment the largest database of such observations is the Exoplanet Transit Database (ETD, Poddaný et al. 2010) run by the Czech Astronomical Society since 2009, which provides more than 10,000 transit light curves for more than 350 exoplanet systems. In this study, we included 18 observations for three planets provided by the ETD network and midtimes from these were integrated with the ExoClock and the literature data.

In order to maintain homogeneity and reliability in our analysis, we only considered observations with a data quality index lower than three which were then processed on the ExoClock website using the same methodology and validation criteria as for the ExoClock data (Section 3.1).

Despite the low number of observations used in this analysis, we value the contribution of ETD and this is the first collaborative work between the two networks. Such collaborations are critical to avoid duplications and waste of resources. We aim to continue our collaboration and gradually integrate more data from ETD in future publications.

4. Results

4.1. Updated Ephemerides for 180 Planets

Here we present updated ephemerides for 180 of the total of 370 planets that are currently in the ExoClock target list. To determine these ephemerides, we combined all the available data. First, we updated the zero epoch to the weighted average of the available epochs, and then fitted a line on the epoch versus midtransit times data. To do so, we used the MCMC algorithm as implemented in the emcee package (Foreman-Mackey et al. 2013). After a first fit, we scaled up the uncertainties so that the mean uncertainty was equal to the STD of the $O - C$ residuals and in this way we incorporate any non-Gaussian noise. While, this step did not have a significant effect on the values of the zero-epoch midtransit and the period, it was important for their uncertainties. Without scaling, the uncertainties on the final ephemerides would have been largely underestimated, leading to reduced chi-squared values larger than 1. Table 2 in Appendix B provides all the new ephemerides and references to the literature values used.

Figure 4 shows the uncertainties in the 2028 predictions before and after the updates presented in this work (σ_p and σ_p' , respectively). We note that all the new predictions have uncertainties lower than 10 minutes and an improvement has been achieved for 162 (90%) of them. There is a small number of planets (6) for which the prediction uncertainty has increased from ~ 0.1 minute to $\sim 1\text{--}4$ minutes. These planets were observed by Kepler/K2 but the individual midtime data were not reported in the literature, hence only the initial ephemerides were used. We plan to reanalyze and add the individual Kepler/K2 light curves in our database in our future data releases, solving the above issue. Moreover, Figure 5 shows the difference in the 2028 predictions between the new and the old ephemerides as a function of uncertainty, where 103 planets (57%) have drifts greater than their uncertainties.

4.2. Deviations from Linear Ephemerides

To assess the Gaussianity of the final $O - C$ diagrams we use the same methodology as for the individual light curves: by evaluating the autocorrelation and the Shapiro test.




Figure 3. Residuals autocorrelation (left) and Shapiro (right) tests for all the ExoClock observations as a function of the number of data points in each light curve. The red dashed line indicates the upper acceptable limit for each metric, as calculated from time series of white noise.




Figure 4. Uncertainties for the transit-time prediction at the end of 2028 as calculated with the old ephemerides (horizontal axis) and with the new ephemerides as estimated from ExoClock (vertical axis). The dashed line is the line of equal values, and the planets for which the prediction precision has been improved (90%) are plotted on the right of this line.

From the autocorrelation test we find that three planets—WASP-12b, WASP-10b, and Qatar-2b—have a statistically significant $O - C$ autocorrelation ($>3\sigma$ deviation from Gaussian noise) that indicates a nonlinear ephemeris. WASP-12b is known to have a nonlinear ephemeris as its orbit is decaying (Maciejewski et al. 2016a; Turner et al. 2021), while for the other two planets more observations are required to verify the nonlinear nature of their ephemerides.

Additionally, the Shapiro test can help us identify high-frequency noise in $O - C$ diagrams. We find five planets that deviate significantly from pure noise based on the Shapiro test: GJ1214b, HAT-P-32b, TrES-3b, WASP-43b, WASP-79b. For the planets mentioned above, an additional noise component should be taken into account when predicting future transit events, and we have indicated this in the Catalog of ExoClock Ephemerides (Section 5.2). As far as high-frequency noise is




Figure 5. Difference in the transit-time prediction at the end of 2028 between the old and the new ephemerides, as a function of its uncertainty (quadratically combined). The dashed line is the line of equal values, and the planets for which the drift is greater than 1σ (57%) are plotted above this line.

concerned, we find the most significant deviation (15 times higher than the 3σ limit) is for TrES-3b, a planet for which there are contradicting results in the literature regarding the presence of an additional planet or not (e.g., Mannaday et al. 2020).

5. Data Release B

The second data release of the ExoClock project includes two data products: the catalog of ExoClock observations and the catalog of ExoClock ephemerides. All data products and their descriptions can be found through the Open Science Framework (OSF) repository with doi:[10.17605/OSF.IO/WNA5E](https://doi.org/10.17605/OSF.IO/WNA5E).

5.1. Catalog of ExoClock Observations

The new catalog of ExoClock observations contains ~ 1600 light curves analyzed in this work, which refer to 180 planets from the ExoClock target list. These observations were




Figure 6. Comparison of the mean observing rate vs. observing coverage collected from literature data and from the combination of both literature and ExoClock data.

conducted between 2008 and 2020, submitted to the ExoClock platform before the end of 2020, and validated according to the criteria described in Section 3.1. From the ~ 1600 observations in this data set, 66% were obtained by amateur astronomers and the remaining 34% by professionals.

In the online repository, each observation is accompanied by:

1. metadata regarding the observer(s), the planet observed (link to ECC), the equipment used (telescope-camera-filter), the exposure time and the time and flux formats;
2. the raw light curve filtered for outliers, converted to BJD_{TDB}, and flux formats and enhanced with the estimation for the uncertainties, the target altitude, and the airmass;
3. the fitting results, including the detrending method used and its parameters;
4. the detrended light curve, enhanced with the detrending model, the transit model, and the residuals; and
5. fitting diagnostics on the residuals (standard deviation, chi-squared, autocorrelation).

5.2. Catalog of ExoClock Ephemerides

The new catalog of ExoClock ephemerides contains the updated ephemerides for 180 planets from the ExoClock target list (see also Table 2 in Appendix B).

In the online repository, each observation is accompanied by:

1. the midtime values used to calculate the ephemeris,
2. references for the literature data used,
3. links to the ExoClock and ETD data used, and
4. flags concerning the detection of nonlinear ephemerides or high-frequency noise in the $O - C$ diagrams.

6. Discussion

6.1. Ariel-focused Implications

Ariel will observe 75% of the transit duration before and after each transit to allow for the correction of instrumental systematics. For this reason, in Kokori et al. (2021) we defined that the aim of




Figure 7. Distribution of planets over the observing coverage (left) and the mean observing rate (right) for the literature data and for the combination of both literature and ExoClock data.

the ExoClock project is to deliver ephemerides that can predict the transit times for the end of 2028 with a precision higher than $1/12$ of the transit duration (target uncertainty).

From the results presented in Section 4, three classes of planets can be distinguished:

1. class 1: 31 planets (17%) had initial ephemerides with prediction uncertainties greater than the target uncertainties,
2. class 2: 41 planets (24%) had initial ephemerides with prediction uncertainties lower than the target uncertainties, but the new ephemerides give predictions that deviate significantly from the initial ones (more than the target uncertainties), and
3. class 3: the remaining 108 planets (60%) had initial ephemerides with prediction uncertainties lower than the target uncertainties and the new ephemerides give predictions that do not deviate significantly from the initial ones.

In total, 40% of the ephemerides that have been updated in this work are important for the planning of Ariel observations. Despite the fact that the remaining 60% of the planets had reliable initial ephemerides, the majority of them still have a limited number of observations (see Section 6.2) and drifts might appear in the future. Therefore, continued monitoring is necessary.

6.2. The Contribution from ExoClock

The overall contribution of the current work can be assessed by examining the distribution of the observations over the years for each planet. To do so, we used the following metrics:

1. mean observation rate: total number of data points divided by years since the first data point.
2. observing coverage: number of years with at least one data point divided by years since the first data point.

Figure 6 shows the mean observing rate versus the observing coverage for all 180 planets, while Figure 7 shows the distribution of planets over the two metrics. From both graphs, it is apparent that data collected as part of the ExoClock project have made a significant contribution to the follow-up of known planets, as the mean observing rate and the observing coverage have been doubled (or more) for 75% of the planets.

Certainly, there are planets that have an adequate number of observations over the years (observing coverage >0.8), such as Qatar-1 b. These planets have very reliable ephemerides and




Figure 8. Cumulative probability as a function of the drift in signal-to-noise ratio and comparison with normal distribution.

they can be considered saturated. The large number of observations available for these targets is due to the fact that follow-up observations were focused on a few specific targets.

However, the saturated planets constitute a small fraction (10%) of the total sample, while half of the planets still have an observing coverage lower than 0.5 and, therefore, they might show a drift in the future. Therefore, apart from the few planets that have been observed over a long time period and that have precise ephemerides, all the remaining planets require continuous monitoring in order to increase their time coverage as well. In addition, to maximize the time coverage for all the planets, in the near future we plan to incorporate more data from ETD as well as the light curves from Kepler, K2, and TESS in our database.

6.3. General Implications for Follow-up Observations of Exoplanets

The large-scale approach to the ephemerides refinement followed in this work enables a general study of the behavior of the exoplanet ephemerides as a population. Here, we investigate the magnitude of the drifts between the predictions produced by the old and the new ephemerides (for the end of 2028) relative to their uncertainties.

One would expect that the drifts are drawn from a normal distribution with a standard deviation equal to the prediction uncertainty. However, as we can see in Figure 8 and also earlier in Figure 5, the detected drifts are systematically greater than the prediction uncertainties. More specifically, 68% of the detected drifts are within the $\pm 2\sigma$ range rather than the expected $\pm 1\sigma$ range. Previous studies had indicated a similar but weaker effect based on a smaller sample of planets (Mallonn et al. 2019b). This behavior implies that the old ephemerides were mostly underestimating the prediction uncertainties. To understand if this behavior is the result of biases in the calculation of the old ephemerides (most of which were calculated based on a small number of observations hence they could be biased more easily) or whether it is intrinsic to the follow-up strategy that is followed, it is necessary to repeat this type of evaluation regularly in the future.

7. Conclusions

The large-scale approach of this work is demonstrated to have significant implications for scheduling future observations for

exoplanet characterization studies. The examination of past literature midtime values revealed that most planets lacked adequate observations while the focus of the studies was around a small number of planets. Observations provided by the ExoClock network doubled both the observing rate and coverage for half of the planets. Apart from the efficient organization of the project where all available resources are utilized under the same scope, the findings confirmed that continuous monitoring of exoplanet ephemerides is crucial for follow-up studies, because a considerable fraction of the planets studied here (40%) had highly uncertain or biased ephemerides. For this reason, we plan to continue monitoring those planets alongside other planets that have not yet been observed. A large number of observations (~ 600) for current and new targets has been submitted already to the ExoClock system and the results will be reported in a future study. All the results and the updated ephemerides are open to the wider exoplanet community to facilitate further research purposes in addition to Ariel.

This project has received funding from the European Research Council (ERC) under the European Union’s Horizon 2020 research and innovation program (grant agreement No. 758892, ExoAI) and from the UKSA/STFC grants ST/T001836/1, ST/V003380/1, and ST/W00254X/1.

We acknowledge the support provided by the administrators, designers, and developers of the ETD project and of the Czech Astronomical Society both to the ExoClock project and also to the efforts of the whole amateur community through its 10+ years of operation.

This work has made use of observations made by the MicroObservatory which is maintained and operated as an educational service by the Center for Astrophysics, Harvard & Smithsonian as a project of NASA’s Universe of Learning, supported by NASA Award # NNX16AC65A.

This work has made use of observations made by the LCOGT network, as part of the LCOGT Global Sky Partners project “ORBYTS: Refining Exoplanet Ephemerides” (PI: B. Edwards).

B. Edwards is a Laureate of the Paris Region fellowship program supported by the Ile-de-France Region. This project has received funding under the framework program for research and Horizon 2020 innovation under the Marie Skłodowska-Curie grant agreement No. 945298.

L.V.M. is supported by ASI grant No. 2018.22.HH.O.

P. Pinti acknowledges the support by the project No. CZ.02.1.01/0.0/0.0/16_026/0008390.

A.P. and K.B. were responsible for automation of acquisition and processing of SUTO data and acknowledge grants: BK-225/RAu-11/2021, 02/140/SDU/10-22-02.

All the data products and their descriptions can be found through the OSF repository with doi:[10.17605/OSF.IO/WNA5E](https://doi.org/10.17605/OSF.IO/WNA5E).

Software: Django, PyLightcurve (Tsiaras et al. 2016), ExoTETHyS (Morello et al. 2020), Astropy (Astropy Collaboration et al. 2013), emcee (Foreman-Mackey et al. 2013), Matplotlib (Hunter 2007), Nestle, Numpy (Harris et al. 2020), SciPy (Virtanen et al. 2020).

Appendix A List of Private Observatories

Appendix A includes Table 1, a complete list with the names of all observatories.

Table 1
List of Private Observatories Beyond the List of Affiliations

Observer(s)	Observatory
Vikrant Kumar Agnihotri, Kuldip Vora	Cepheid Observatory, Rawatbhata, India
David Bennett	Rickford Observatory, UK
Paul Benni	Acton Sky Portal Observatory, Acton, MA, USA
Emmanuel Besson	Observatoire des Loges, Buffières, France
Leon Bewersdorff	Observatory Kipshoven, Germany
Patrick Brandebourg	Observatoire du Guernet, Bretagne, France
Stephen M. Brincat	Flarestar Observatory (MPC:171), San Gwann, Malta
Mauro Calò	Cavallino Observatory, Tuscany, Italy
Roland Casali	Alto2000 Observatory, Italy
Fran Campos	Puig d'Agulles Observatory, Passatge Bosc, 1, 08759 Vallirana, Barcelona, Catalonia, Spain
Martin Valentine Crow	Burnham Observatory, UK
Bruno Dauchet	Saint Véran Observatory, France
Marc Deldem	Les Barres Observatory, Lamanon, France
Dimitrios Deligeorgopoulos	Artemis Observatory, Evrytania, Greece
Nicolas Esseiva	Saint Martin Observatory, France
Josep Gaitan	MAS MOIXA Observatory
Ferran Grau Horta	Observatori de Ca l'Ou, Sant Martí Sesgueioles, Spain
Francois Hurter	Albireo Observatory, Switzerland
Adrian Jones	I64 Observatory, Maidenhead, UK
Didier Laloum	Observatoire Privé du Mont (OPM) 40280 Saint-Pierre-du-Mont, France
Massimiliano Mannucci	Osservatorio Astronomico Margherita Hack, Italy
Antonio Marino, Andrea Tomacelli	Telescopio Remoto Colacevich c/o Osservatorio Astronomico di Capodimonte di Napoli
Mike Miller	Georgetown Observatory, Georgetown, TX, USA
Thomas Mollier	Tomasastro Observatory, Italy
Nico Montigiani	Osservatotrio Astronomico Margherita Hack, Firenze, Italy
Fabio Mortari	Hypatia Observatory, Italy
Nikolaos Paschalidis	Nunki Observatory, Skiathos, Greece
Valère Perroud	Observatoire de Duines, France
Mark Phillips	Forthimage Observatory, UK
Jean-Bernard Pioppa	La Roque-Esclapon, France
Manfred Raetz	Privat Observatory Herges-Hallenberg, Germany
François Regembal	HRT Observatory, Spain
Keith Rickard	Putlands Observatory, UK
Mark Roberts, Dave Shave-Wall	IMT3 Observatory, UK
Lionel Rousselot	Vierzon Observatory, France
Xesco Rubia	Stupa Observatori, Centelles, Catalonia, Spain
John Savage	Z42, Rushay Farm Observatory, Dorset, UK
Danilo Sedita	Osservatorio Sedita Castrofilippo, Italy
Nick Sioulas	NOAK Observatory L02, Greece
Vojtěch Školník	Broumov NM Observatory, Czech Republic
Dimitris Stouraitis	Galileo Observatory, Greece
Geoffrey Thurston	I67, Hartley Wintney, UK
AlbertoTomatis	Alto-Observatory, Italy
Bob Trevan	IMT3 Observatory, UK
Pierre Valeau	Observatoire de l'Aiguillon sur Mer, France
Bernhard Wenzel	Balcony Observatory Vienna, Austria
David E. Wright	Yorick Observatory, UK

Appendix B

Full List of Updated Ephemerides

Appendix B includes Table 2, a complete list with all ephemerides.

Table 2
Full List of Updated Ephemerides and References

Planet	New T_0 (BJD _{TDB})	New Period (days)	1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
CoRoT-2b	$2457347.04314 \pm 0.00012$	$1.74299700 \pm 0.00000011$	1. Alonso et al. (2008a), Öztürk & Erdem (2019), Rauer et al. (2010) 2. Bruno et al. (2016) 3. Alonso et al. (2008a) 4. Chavero et al. (2010)
GJ436b	$2454873.01582 \pm 0.00004$	$2.64389751 \pm 0.00000012$	1. Knutson et al. (2014), Cáceres et al. (2009), Turner et al. (2016), Shporer et al. (2009b), Gillon et al. (2007a), Southworth (2008), Deming et al. (2007), Ribas et al. (2008), Alonso et al. (2008b), Gillon et al. (2007b), Bean & Seifahrt (2008), Beaulieu et al. (2011) 2. Lanotte et al. (2014) 3. Knutson et al. (2011) 4. Torres et al. (2008)
GJ1214b	$2455881.579310 \pm 0.000022$	$1.58040454 \pm 0.00000004$	1. Berta et al. (2011), Fraine et al. (2013), Cáceres et al. (2014), Harpsee et al. (2013), Mallonn et al. (2019a) 2. Cáceres et al. (2014) 3. Berta et al. (2012) 4. Charbonneau et al. (2009)
HAT-P-1b	$2455801.77390 \pm 0.00018$	4.4652992 ± 0.0000004	1. Winn et al. (2007b), Johnson et al. (2008), Turner et al. (2016) 2. Nikolov et al. (2014) 3. Nikolov et al. (2014) 4. Torres et al. (2008)
HAT-P-3b	$2455694.72623 \pm 0.00008$	$2.89973826 \pm 0.00000015$	1. Torres et al. (2007), Chan et al. (2011), Gibson et al. (2010), Mancini et al. (2018), Nascimbeni et al. (2011a), Sada et al. (2012) 2. Chan et al. (2011) 4. Chan et al. (2011) 4. Torres et al. (2008)
HAT-P-4b	$2454740.97205 \pm 0.00020$	3.0565233 ± 0.0000006	1. Kovács et al. (2007), Winn et al. (2011), Christiansen et al. (2011) 2. Sada et al. (2012) 3. Christiansen et al. (2011) 4. Torres et al. (2008)
HAT-P-5b	$2455705.72567 \pm 0.00024$	2.7884735 ± 0.0000005	1. Turner et al. (2017), Bakos et al. (2007), Southworth et al. (2012b) 2. Southworth et al. (2012b) 3. Torres et al. (2008) 4. Torres et al. (2008)
HAT-P-6b	$2455260.92994 \pm 0.00021$	3.8529962 ± 0.0000005	1. Noyes et al. (2008), Todorov et al. (2012) 2. Noyes et al. (2008) 3. Torres et al. (2008) 4. Noyes et al. (2008)
HAT-P-7b	2455174.8326 ± 0.0003	2.2047363 ± 0.0000007	1. Pál et al. (2008), Christiansen et al. (2010), Wong et al. (2016) 2. Holczer et al. (2016) 3. Wong et al. (2016) 4. Pál et al. (2008)
HAT-P-8b	2455945.0839 ± 0.0003	3.0763433 ± 0.0000007	1. Latham et al. (2009), Mancini et al. (2013c) 2. Mancini et al. (2013c) 3. Mancini et al. (2013c) 4. Latham et al. (2009)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
HAT-P-9b	2455473.14492 ± 0.00023	3.9228105 ± 0.0000008	1. Shporer et al. (2009a), Dittmann et al. (2012), Wang et al. (2019) 2. Wang et al. (2019) 3. Wang et al. (2019) 4. Shporer et al. (2009a)
HAT-P-11b	2455109.335119 ± 0.000021	4.8878009 ± 0.0000003	1. Murgas et al. (2019), Tsiaras et al. (2018), Deming et al. (2011), Winn et al. (2010), Bakos et al. (2010), Sada et al. (2012) 2. Holczer et al. (2016) 3. Bakos et al. (2010) 4. Bakos et al. (2010)
HAT-P-12b	2456716.53270 ± 0.00006	3.21305751 ± 0.00000017	1. Öztürk & Erdem (2019), Turner et al. (2017), Sada & Ramón-Fox (2016), Mallonn et al. (2015a), Lee et al. (2012), Sada et al. (2012), Line et al. (2013), Alexoudi et al. (2018), Hartman et al. (2009), Mancini et al. (2018), Hinse et al. (2015), Yan et al. (2020) 2. Sada & Ramón-Fox (2016) 3. Hartman et al. (2009) 4. Hartman et al. (2009)
HAT-P-13b	2455456.49826 ± 0.00016	2.9162431 ± 0.0000006	1. Nascimbeni et al. (2011b), Sada & Ramón-Fox (2016), Fulton et al. (2011), Turner et al. (2016), Bakos et al. (2009), Pál et al. (2011), Southworth et al. (2012a) 2. Sada & Ramón-Fox (2016) 3. Bakos et al. (2009) 4. Bakos et al. (2009)
HAT-P-14b	2455421.35484 ± 0.00022	4.6276623 ± 0.0000010	1. Torres et al. (2010), Nascimbeni et al. (2011a) 2. Fukui et al. (2016) 3. Fukui et al. (2016) 4. Torres et al. (2010)
HAT-P-16b	2455968.64684 ± 0.00013	2.7759677 ± 0.0000003	1. Sada & Ramón-Fox (2016), Buchhave et al. (2010), Turner et al. (2016), Pearson et al. (2014), Ciceri et al. (2013) 2. Sada & Ramón-Fox (2016) 3. Buchhave et al. (2010) 4. Buchhave et al. (2010)
HAT-P-17b	2456569.05972 ± 0.00005	10.3385346 ± 0.0000009	1. Tsiaras et al. (2018), Howard et al. (2012) 2. Howard et al. (2012) 3. Howard et al. (2012) 4. Howard et al. (2012)
HAT-P-18b	2457276.25646 ± 0.00010	5.5080300 ± 0.0000008	1. Hartman et al. (2011b), Seeliger et al. (2015), Kirk et al. (2017) 2. Seeliger et al. (2015) 3. Kirk et al. (2017) 4. Hartman et al. (2011b)
HAT-P-19b	2456899.49658 ± 0.00010	4.0087842 ± 0.0000004	1. Hartman et al. (2011b), Seeliger et al. (2015), Mallonn et al. (2015b), Baştürk et al. (2020) 2. Seeliger et al. (2015) 3. Hartman et al. (2011b) 4. Hartman et al. (2011b)
HAT-P-20b	2456705.48183 ± 0.00007	2.87531693 ± 0.00000024	1. Sun et al. (2017), Bakos et al. (2011), Granata et al. (2014), Esposito et al. (2017) 2. Bakos et al. (2011) 3. Bakos et al. (2011) 4. Bakos et al. (2011)
HAT-P-22b	2456603.79429 ± 0.00014	3.2122330 ± 0.0000003	1. Turner et al. (2016), Bakos et al. (2011), Hinse et al. (2015) 2. Bakos et al. (2011) 3. Bakos et al. (2011) 4. Bakos et al. (2011)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
HAT-P-23b	$2457575.19549 \pm 0.00008$	$1.21288644 \pm 0.00000008$	1. Maciejewski et al. (2018), Sada & Ramón-Fox (2016), Bakos et al. (2011), Patra et al. (2020) 2. Sada & Ramón-Fox (2016) 3. Ciceri et al. (2015) 4. Bakos et al. (2011)
HAT-P-24b	2455800.7899 ± 0.0003	3.3552460 ± 0.0000009	1. Kipping et al. (2010), Wang et al. (2013), Kjurkchieva et al. (2016) 2. Kipping et al. (2010) 3. Kipping et al. (2010) 4. Kipping et al. (2010)
HAT-P-25b Mallonn et al. (2019b), Wang et al. (2018b), Quinn et al. (2012)	$2456590.49235 \pm 0.00022$	3.6528162 ± 0.0000008	2. Mallonn et al. (2019b) 3. Wang et al. (2018b) 4. Quinn et al. (2012)
HAT-P-26b	$2456892.59046 \pm 0.00010$	4.2345002 ± 0.0000007	1. von Essen et al. (2019), Hartman et al. (2011a), Tsiaras et al. (2018), Wakeford et al. (2017), Stevenson et al. (2016) 2. Stevenson et al. (2016) 3. Hartman et al. (2011a) 4. Hartman et al. (2011a)
HAT-P-27b	$2456638.93852 \pm 0.00012$	$3.03957780 \pm 0.00000025$	1. Béky et al. (2011), Seeliger et al. (2015), Sada et al. (2012), Anderson et al. (2011a) 2. Seeliger et al. (2015) 3. Béky et al. (2011) 4. Béky et al. (2011)
HAT-P-28b	$2458124.34308 \pm 0.00022$	3.2572129 ± 0.0000006	1. Buchhave et al. (2011) 2. Buchhave et al. (2011) 3. Buchhave et al. (2011) 4. Buchhave et al. (2011)
HAT-P-29b	2457240.8218 ± 0.0004	5.7233710 ± 0.0000024	1. Buchhave et al. (2011), Wang et al. (2018a) 2. Mallonn et al. (2019b) 4. Wang et al. (2018a) 4. Buchhave et al. (2011)
HAT-P-30b	$2455931.45837 \pm 0.00018$	2.8106016 ± 0.0000005	1. Maciejewski et al. (2016b), Johnson et al. (2011), Enoch et al. (2011a) 2. Maciejewski et al. (2016b) 4. Maciejewski et al. (2016b) 4. Johnson et al. (2011)
HAT-P-32b	$2456209.25393 \pm 0.00005$	$2.15000825 \pm 0.00000010$	1. Tregloan-Reed et al. (2018), Hartman et al. (2011c), Gibson et al. (2013a), Zhao et al. (2014), Seeliger et al. (2014), Wang et al. (2019), Mallonn & Strassmeier (2016) 2. Hartman et al. (2011c) 3. Wang et al. (2019) 4. Hartman et al. (2011c)
HAT-P-33b	$2456601.47713 \pm 0.00012$	3.4744767 ± 0.0000003	1. Hartman et al. (2011c), Wang et al. (2017) 2. Hartman et al. (2011c) 3. Hartman et al. (2011c) 4. Hartman et al. (2011c)
HAT-P-36b	$2457334.53507 \pm 0.00010$	$1.32734682 \pm 0.00000012$	1. Wang et al. (2019), Bakos et al. (2012) 2. Mancini et al. (2015a) 3. Wang et al. (2019) 4. Bakos et al. (2012)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
HAT-P-37b	$2457754.21279 \pm 0.00015$	2.7974424 ± 0.0000004	1. Bakos et al. (2012), Maciejewski et al. (2016b), Turner et al. (2017) 2. Maciejewski et al. (2016b) 4. Maciejewski et al. (2016b) 4. Bakos et al. (2012)
HAT-P-38b	$2457515.07748 \pm 0.00011$	4.6403288 ± 0.0000011	1. Bruno et al. (2018a), Mallonn et al. (2019b), Sato et al. (2012) 2. Mallonn et al. (2019b) 3. Sato et al. (2012) 4. Sato et al. (2012)
HAT-P-40b	2456414.9009 ± 0.0005	4.4572173 ± 0.0000017	1. Hartman et al. (2012) 2. Hartman et al. (2012) 3. Hartman et al. (2012) 4. Hartman et al. (2012)
HAT-P-41b	$2458071.24389 \pm 0.00012$	2.6940497 ± 0.0000008	1. Hartman et al. (2012), Wakeford et al. (2020) 2. Hartman et al. (2012) 4. Hartman et al. (2012) 4. Hartman et al. (2012)
HAT-P-44b	2457284.0768 ± 0.0004	4.3011900 ± 0.0000010	1. Hartman et al. (2014) 2. Mallonn et al. (2019b) 3. Hartman et al. (2014) 4. Hartman et al. (2014)
HAT-P-49b	2457077.8963 ± 0.0005	2.6915535 ± 0.0000012	1. Bieryla et al. (2014) 2. Bieryla et al. (2014) 3. Bieryla et al. (2014) 4. Bieryla et al. (2014)
HAT-P-50b	2456526.3049 ± 0.0003	3.1220018 ± 0.0000013	1. Hartman et al. (2015b) 2. Hartman et al. (2015b) 3. Hartman et al. (2015b) 4. Hartman et al. (2015b)
HAT-P-51b	$2457868.67797 \pm 0.00024$	4.2180226 ± 0.0000009	1. Hartman et al. (2015b) 2. Hartman et al. (2015b) 3. Hartman et al. (2015b) 4. Hartman et al. (2015b)
HAT-P-52b	2456581.8074 ± 0.0004	2.7535973 ± 0.0000013	1. Hartman et al. (2015b) 2. Mallonn et al. (2019b) 3. Hartman et al. (2015b) 4. Hartman et al. (2015b)
HAT-P-53b	2457502.7149 ± 0.0003	1.9616248 ± 0.0000004	1. Hartman et al. (2015b) 2. Hartman et al. (2015b) 3. Hartman et al. (2015b) 4. Hartman et al. (2015b)
HAT-P-54b	$2458419.62257 \pm 0.00019$	3.7998534 ± 0.0000008	1. Bakos et al. (2015) 2. Bakos et al. (2015) 3. Bakos et al. (2015) 4. Bakos et al. (2015)
HAT-P-55b	2457720.3595 ± 0.0003	3.5852329 ± 0.0000012	1. Juncher et al. (2015) 2. Juncher et al. (2015) 3. Juncher et al. (2015) 4. Juncher et al. (2015)
HAT-P-56b	2457700.6456 ± 0.0004	2.7908235 ± 0.0000009	1. Huang et al. (2015) 2. Huang et al. (2015) 3. Huang et al. (2015) 4. Huang et al. (2015)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
HAT-P-57b	2457159.6765 ± 0.0006	2.4652946 ± 0.0000007	1. Hartman et al. (2015c) 2. Hartman et al. (2015c) 4. Hartman et al. (2015c) 4. Hartman et al. (2015c)
HAT-P-65b	2457149.2808 ± 0.0004	2.6054485 ± 0.0000009	1. Hartman et al. (2016) 2. Hartman et al. (2016) 4. Hartman et al. (2016) 4. Hartman et al. (2016)
HATS-1b	2457901.9514 ± 0.0004	3.4464553 ± 0.0000008	1. Penev et al. (2013) 2. Penev et al. (2013) 3. Penev et al. (2013) 4. Penev et al. (2013)
HATS-4b	2457086.8394 ± 0.0003	2.5167278 ± 0.0000005	1. Jordán et al. (2014) 2. Jordán et al. (2014) 4. Jordán et al. (2014) 4. Jordán et al. (2014)
HATS- 5b	2456392.8762 ± 0.0003	4.763390 ± 0.000003	1. Zhou et al. (2014) 2. Zhou et al. (2014) 3. Zhou et al. (2014) 4. Zhou et al. (2014)
HATS-6b	$2456660.36771 \pm 0.00013$	3.3252722 ± 0.0000025	1. Hartman et al. (2015a) 2. Hartman et al. (2015a) 3. Hartman et al. (2015a) 4. Hartman et al. (2015a)
HATS-13b	$2456824.32250 \pm 0.00023$	3.0440546 ± 0.0000007	1. Mancini et al. (2015b) 2. Mancini et al. (2015b) 4. Mancini et al. (2015b) 4. Mancini et al. (2015b)
HATS-22b	$2457768.11264 \pm 0.00023$	4.7228189 ± 0.0000012	1. Bento et al. (2017) 2. Bento et al. (2017) 3. Bento et al. (2017) 4. Bento et al. (2017)
HATS-24b	2458237.2874 ± 0.0005	1.3484963 ± 0.0000007	1. Bento et al. (2017) 2. Bento et al. (2017) 3. Bento et al. (2017) 4. Bento et al. (2017)
HATS-29b	2457851.8034 ± 0.0005	4.6058791 ± 0.0000024	1. Espinoza et al. (2016) 2. Espinoza et al. (2016) 3. Espinoza et al. (2016) 4. Espinoza et al. (2016)
HATS-30b	$2457912.20039 \pm 0.00026$	3.1743516 ± 0.0000007	1. Espinoza et al. (2016) 2. Espinoza et al. (2016) 3. Espinoza et al. (2016) 4. Espinoza et al. (2016)
HATS-33b	2458090.7093 ± 0.0005	2.5495627 ± 0.0000011	1. de Val-Borro et al. (2016) 2. de Val-Borro et al. (2016) 4. de Val-Borro et al. (2016) 4. de Val-Borro et al. (2016)
HATS-35b	2457899.5875 ± 0.0003	1.8210014 ± 0.0000006	1. de Val-Borro et al. (2016) 2. de Val-Borro et al. (2016) 3. de Val-Borro et al. (2016) 4. de Val-Borro et al. (2016)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
HATS-43b	$2458039.86444 \pm 0.00022$	4.3888499 ± 0.00000014	1. Brahm et al. (2018) 2. Brahm et al. (2018) 3. Brahm et al. (2018) 4. Brahm et al. (2018)
HD189733b	$2454403.677711 \pm 0.000025$	$2.21857519 \pm 0.00000014$	1. Hrudková et al. (2010), Agol et al. (2010), Baluev et al. (2015) 2. Agol et al. (2010) 3. Morello et al. (2014) 4. Torres et al. (2008)
HD209458b	$2455015.49844 \pm 0.00012$	3.5247499 ± 0.0000003	1. Miller-Ricci et al. (2008), Deming et al. (2013) 2. Knutson et al. (2007) 3. Torres et al. (2008) 4. Torres et al. (2008)
K2-25b	$2457620.11054 \pm 0.00008$	3.4845627 ± 0.0000009	1. Kain et al. (2020), Mann et al. (2016) 2. Mann et al. (2016) 3. Mann et al. (2016) 4. Mann et al. (2016)
K2-29b	2458508.0943 ± 0.0003	3.2588315 ± 0.0000009	1. Santerne et al. (2016) 2. Santerne et al. (2016) 4. Santerne et al. (2016) 4. Santerne et al. (2016)
K2-30b	$2457395.78391 \pm 0.00013$	4.0984791 ± 0.0000007	1. Johnson et al. (2016) 2. Johnson et al. (2016) 3. Johnson et al. (2016) 4. Johnson et al. (2016)
K2-237b	$2457861.43410 \pm 0.00013$	2.1805330 ± 0.0000007	1. Edwards et al. (2021), Soto et al. (2018) 2. Soto et al. (2018) 3. Soto et al. (2018) 4. Soto et al. (2018)
K2- 260b	$2457836.49912 \pm 0.00010$	2.6266974 ± 0.0000017	1. Johnson et al. (2018) 2. Johnson et al. (2018) 3. Johnson et al. (2018) 4. Johnson et al. (2018)
KELT-1b	$2456981.90516 \pm 0.00014$	$1.21749399 \pm 0.00000016$	1. Beatty et al. (2019, 2020), Siverd et al. (2012), Beatty et al. (2014, 2017), Maciejewski et al. (2018) 2. Beatty et al. (2019) 3. Beatty et al. (2019) 4. Siverd et al. (2012)
KELT-3b	2456666.8880 ± 0.0004	2.7033878 ± 0.0000010	1. Pepper et al. (2013) 2. Mallonn et al. (2019b) 3. Pepper et al. (2013) 4. Pepper et al. (2013)
KELT-7b	$2458343.40408 \pm 0.00010$	2.7347657 ± 0.0000004	1. Bieryla et al. (2015), Pluriel et al. (2020), Garhart et al. (2020) 2. Bieryla et al. (2015) 3. Bieryla et al. (2015) 4. Bieryla et al. (2015)
KELT-15b	$2458564.05392 \pm 0.00020$	3.329475 ± 0.000004	1. Edwards et al. (2021), Rodriguez et al. (2016) 2. Rodriguez et al. (2016) 3. Rodriguez et al. (2016) 4. Rodriguez et al. (2016)
KELT-16b	$2458136.78366 \pm 0.00011$	$0.96899328 \pm 0.00000019$	1. Oberst et al. (2017), Maciejewski et al. (2018), Patra et al. (2020) 2. Oberst et al. (2017) 3. Oberst et al. (2017) 4. Oberst et al. (2017)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
KELT-18b	2457838.3101 ± 0.0004	2.8717023 ± 0.0000019	1. McLeod et al. (2017) 2. McLeod et al. (2017) 3. McLeod et al. (2017) 4. McLeod et al. (2017)
Kepler-6b	$2455006.24253 \pm 0.00008$	3.2346990 ± 0.0000009	1. Dunham et al. (2010), Kipping & Bakos (2011a) 2. Holczer et al. (2016) 3. Esteves et al. (2015) 4. Dunham et al. (2010)
Kepler-12b	$2455004.009119 \pm 0.000020$	4.4379654 ± 0.0000011	1. Fortney et al. (2011) 2. Holczer et al. (2016) 3. Esteves et al. (2015) 4. Fortney et al. (2011)
Kepler-447b	$2454970.26082 \pm 0.00011$	7.794303 ± 0.000003	1. Holczer et al. (2016) 2. Holczer et al. (2016) 3. Lillo-Box et al. (2015) 4. Lillo-Box et al. (2015)
Kepler-854b	$2454966.985381 \pm 0.000010$	2.1446334 ± 0.0000007	1. Morton et al. (2016) 2. Gajdoš et al. (2019) 3. Morton et al. (2016) 4. Morton et al. (2016)
KPS-1b	$2458678.90907 \pm 0.00026$	1.7063241 ± 0.0000015	1. Burdanov et al. (2018) 2. Burdanov et al. (2018) 3. Burdanov et al. (2018) 4. Burdanov et al. (2018)
Qatar-1b	$2457026.47712 \pm 0.00005$	1.42002461 ± 0.0000007	1. von Essen et al. (2013), Püsküllü et al. (2017), Alsubai et al. (2011), Covino et al. (2013), Maciejewski et al. (2015), Collins et al. (2017) 2. Collins et al. (2017) 3. Collins et al. (2017) 4. Alsubai et al. (2011)
Qatar-2b	$2457173.98591 \pm 0.00003$	$1.33711716 \pm 0.00000012$	1. Dai et al. (2017), Mancini et al. (2014a), Bryan et al. (2012) 2. Močnik et al. (2017b) 3. Močnik et al. (2017b) 4. Bryan et al. (2012)
Qatar-4b	$2458767.93317 \pm 0.00014$	1.8053646 ± 0.0000006	1. Alsubai et al. (2017), Mallonn et al. (2019b) 2. Mallonn et al. (2019b) 3. Alsubai et al. (2017) 4. Alsubai et al. (2017)
Qatar-5b	$2457489.36120 \pm 0.00017$	2.8793002 ± 0.0000010	1. Alsubai et al. (2017), Mallonn et al. (2019b) 2. Mallonn et al. (2019b) 3. Alsubai et al. (2017) 4. Alsubai et al. (2017)
TrES-1b	$2454110.97865 \pm 0.00006$	$3.03007008 \pm 0.00000010$	1. Alonso et al. (2004), Charbonneau et al. (2005), Cubillos et al. (2014), Winn et al. (2007a), Narita et al. (2007), Raetz et al. (2009a), Rabus et al. (2009) 2. Sada et al. (2012) 3. Torres et al. (2008) 4. Torres et al. (2008)
TrES-2b	$2455148.47118 \pm 0.00003$	2.47061373 ± 0.0000009	1. Öztürk & Erdem (2019), Christiansen et al. (2011), O'Donovan et al. (2006), Turner et al. (2016), Raetz et al. (2009b, 2014), Holman et al. (2007), Mislis et al. (2010), Kipping & Bakos (2011b) 2. Holczer et al. (2016) 3. Esteves et al. (2015) 4. Torres et al. (2008)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
TrES-3b	$2457536.279521 \pm 0.0000018$	$1.30618639 \pm 0.00000003$	1. O'Donovan et al. (2007), Sozzetti et al. (2009), Gibson et al. (2009), Colón et al. (2010), Christiansen et al. (2011), Turner et al. (2013), Kundurthy et al. (2013), Stefansson et al. (2017), Püsküllü et al. (2017), Mannaday et al. (2020), Parviainen et al. (2016) 2. Jiang et al. (2013) 3. Christiansen et al. (2011) 4. Torres et al. (2008)
TrES-4b	2455364.6085 ± 0.0003	3.5539266 ± 0.0000008	1. Mandushev et al. (2007), Sozzetti et al. (2009), Chan et al. (2011) 2. Sozzetti et al. (2015) 3. Sozzetti et al. (2015) 4. Torres et al. (2008)
TrES-5b	$2456833.60080 \pm 0.00006$	$1.48224718 \pm 0.00000009$	1. Mandushev et al. (2011), Mislis et al. (2015), Sokov et al. (2018) 2. Maciejewski et al. (2016b) 3. Maciejewski et al. (2016b) 4. Mandushev et al. (2011)
WASP-1b	$2455215.32701 \pm 0.00015$	$2.51994713 \pm 0.00000026$	1. Shporer et al. (2007), Collier Cameron et al. (2007), Turner et al. (2016), Charbonneau et al. (2007), Simpson et al. (2011a), Albrecht et al. (2011), Granata et al. (2014) 2. Maciejewski et al. (2014) 3. Maciejewski et al. (2014) 4. Torres et al. (2008)
WASP-2b	$2455097.75755 \pm 0.00007$	$2.15222231 \pm 0.00000015$	1. Charbonneau et al. (2007), Southworth et al. (2010), Becker et al. (2013), Addison et al. (2019) 2. Sada et al. (2012) 3. Southworth et al. (2010) 4. Torres et al. (2008)
WASP-3b	$2455554.83317 \pm 0.00007$	$1.84683511 \pm 0.00000013$	1. Nascimbeni et al. (2013), Pollacco et al. (2008), Christiansen et al. (2011), Gibson et al. (2008), Tripathi et al. (2010), Sada et al. (2012), Maciejewski et al. (2010, 2013b), Montalvo et al. (2012), Eibe et al. (2012), Baluev et al. (2019) 2. Christiansen et al. (2011) 3. Christiansen et al. (2011) 4. Pollacco et al. (2008)
WASP-4b	$2455880.79492 \pm 0.00003$	$1.33823144 \pm 0.00000003$	1. Wilson et al. (2008), Winn et al. (2009a), Southworth et al. (2009a, 2019), Sanchis-Ojeda et al. (2011), Hoyer et al. (2013), Gillon et al. (2009b), Dragomir et al. (2011), Huitson et al. (2017) 2. Southworth et al. (2019) 3. Bouma et al. (2019) 4. Wilson et al. (2008)
WASP-5b	$2455017.22682 \pm 0.00007$	$1.62843033 \pm 0.00000011$	1. Anderson et al. (2008), Southworth et al. (2009b), Fukui et al. (2011), Gillon et al. (2009b), Triaud et al. (2010), Hoyer et al. (2012), Dragomir et al. (2011), Moyano et al. (2017) 2. Hoyer et al. (2012) 3. Fukui et al. (2011) 4. Anderson et al. (2008)
WASP- 6b	$2455591.28967 \pm 0.00007$	$3.36100207 \pm 0.00000021$	1. Bouma et al. (2019), Kammer et al. (2015), Nikolov et al. (2015), Tregloan-Reed et al. (2015), Dragomir et al. (2011), Gillon et al. (2009a), Baluev et al. (2019) 2. Tregloan-Reed et al. (2015) 3. Gillon et al. (2009a) 4. Gillon et al. (2009a)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-10b	$2455638.24761 \pm 0.00004$	$3.09272826 \pm 0.00000010$	1. Barros et al. (2013), Dittmann et al. (2010), Christian et al. (2009), Maciejewski et al. (2011a, 2011c), Krejčová & Budaj (2010), Sada & Ramón-Fox (2016) 2. Sada & Ramón-Fox (2016) 3. Johnson et al. (2009b) 4. Christian et al. (2009)
WASP-11b	$2456200.28683 \pm 0.00009$	3.7224790 ± 0.0000003	1. West et al. (2009a), Wang et al. (2014), Sada et al. (2012), Mancini et al. (2015a) 2. Mancini et al. (2015a) 3. Wang et al. (2014) 4. West et al. (2009a)
WASP-12b	$2456594.68160 \pm 0.00004$	$1.09141964 \pm 0.00000004$	1. Öztürk & Erdem (2019), Maciejewski et al. (2011b, 2013a, 2016a, 2018), Collins et al. (2017), Hebb et al. (2009), Haswell et al. (2012), Sing et al. (2013), Chan et al. (2011), Stevenson et al. (2014), Kreidberg et al. (2015), Patra et al. (2017), Yee et al. (2020) 2. Collins et al. (2017) 3. Collins et al. (2017) 4. Hebb et al. (2009)
WASP-14b	$2455643.79792 \pm 0.00011$	$2.24376628 \pm 0.00000024$	1. Joshi et al. (2009), Johnson et al. (2009a), Bleicic et al. (2013), Raetz et al. (2015), Wong et al. (2015) 2. Wong et al. (2015) 3. Wong et al. (2015) 4. Joshi et al. (2009)
WASP-15b	2455890.4286 ± 0.0003	3.7520987 ± 0.0000016	1. West et al. (2009b), Southworth et al. (2013) 2. Southworth et al. (2013) 3. Southworth et al. (2013) 4. West et al. (2009b)
WASP-16b	$2455732.07584 \pm 0.00022$	3.1186037 ± 0.0000007	1. Southworth et al. (2013), Lister et al. (2009) 2. Southworth et al. (2013) 3. Southworth et al. (2013) 4. Lister et al. (2009)
WASP-18b	$2455562.11007 \pm 0.00007$	$0.94145254 \pm 0.00000008$	1. Maxted et al. (2013b), Wilkins et al. (2017), Hellier et al. (2009) 2. Triaud et al. (2010) 3. Shporer et al. (2019) 4. Hellier et al. (2009)
WASP-19b	$2456688.273095 \pm 0.000023$	$0.788839195 \pm 0.000000019$	1. Hebb et al. (2010), Tregloan-Reed et al. (2013), Lendl et al. (2013), Mancini et al. (2013a), Huitson et al. (2013), Sedaghati et al. (2015), Espinoza et al. (2019), Bean et al. (2013), Petrucci et al. (2020) 2. Wong et al. (2016) 3. Wong et al. (2016) 4. Hebb et al. (2010)
WASP-20b	2456367.3093 ± 0.0004	4.8996461 ± 0.0000016	1. Anderson et al. (2015a) 2. Anderson et al. (2015a) 3. Evans et al. (2016) 4. Anderson et al. (2015a)
WASP-21b	$2457660.73516 \pm 0.00016$	4.3225038 ± 0.0000008	1. Bouchy et al. (2010), Seeliger et al. (2015), Ciceri et al. (2013), Chen et al. (2020), Alderson et al. (2020) 2. Seeliger et al. (2015) 3. Bouchy et al. (2010) 4. Bouchy et al. (2010)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-23b	$2456333.00703 \pm 0.00008$	$2.94442732 \pm 0.00000022$	1. Triaud et al. (2011), Nikolov et al. (2013) 2. Triaud et al. (2011) 3. Triaud et al. (2011) 4. Triaud et al. (2011)
WASP-24b	$2455402.12744 \pm 0.00015$	2.3412202 ± 0.0000003	1. Street et al. (2010), Turner et al. (2017) 2. Southworth et al. (2014) 3. Southworth et al. (2014) 4. Street et al. (2010)
WASP-25b	2456396.9176 ± 0.0004	3.7648334 ± 0.0000009	1. Enoch et al. (2011b) 2. Southworth et al. (2014) 3. Southworth et al. (2014) 4. Enoch et al. (2011b)
WASP-26b	$2456631.49797 \pm 0.00023$	2.7565963 ± 0.0000006	1. Smalley et al. (2010), Southworth et al. (2014) 2. Southworth et al. (2014) 3. Southworth et al. (2014) 4. Smalley et al. (2010)
WASP-28b	$2457683.40894 \pm 0.00003$	3.4088353 ± 0.0000003	1. Močnik et al. (2020), Anderson et al. (2015a), Maciejewski et al. (2016b), Petrucci et al. (2015) 2. Maciejewski et al. (2016b) 3. Maciejewski et al. (2016b) 4. Anderson et al. (2015a)
WASP-29b	$2456347.98683 \pm 0.00014$	3.9227124 ± 0.0000004	1. Hellier et al. (2010), Dragomir et al. (2011), Gibson et al. (2013b) 2. Hellier et al. (2010) 3. Gibson et al. (2013b) 4. Hellier et al. (2010)
WASP-31b	$2456183.80208 \pm 0.00020$	3.4058841 ± 0.0000008	1. Sing et al. (2015), Anderson et al. (2011b), Dragomir et al. (2011) 2. Anderson et al. (2011b) 3. Anderson et al. (2011b) 4. Anderson et al. (2011b)
WASP-32b	$2456893.71806 \pm 0.00017$	2.7186631 ± 0.0000004	1. Sada et al. (2012), Maxted et al. (2010), Sun et al. (2015) 2. Sada et al. (2012) 3. Maxted et al. (2010) 4. Maxted et al. (2010)
WASP-35b	$2455932.99920 \pm 0.00015$	3.1615699 ± 0.0000004	1. Enoch et al. (2011a) 2. Enoch et al. (2011a) 3. Enoch et al. (2011a) 4. Enoch et al. (2011a)
WASP-36b	$2456526.07935 \pm 0.00006$	$1.53736541 \pm 0.00000011$	1. Mancini et al. (2016b), Turner et al. (2016), Smith et al. (2012), Wong et al. (2020) 2. Mancini et al. (2016b) 3. Mancini et al. (2016b) 4. Smith et al. (2012)
WASP-37b	2457524.4596 ± 0.0003	3.5774793 ± 0.0000008	1. Mallonn et al. (2019b), Simpson et al. (2011b) 2. Mallonn et al. (2019b) 3. Simpson et al. (2011b) 4. Simpson et al. (2011b)
WASP-43b	$2456047.051715 \pm 0.000022$	$0.81347414 \pm 0.00000003$	1. Hellier et al. (2011), Hoyer et al. (2016), Gillon et al. (2012), Murgas et al. (2014), Chen et al. (2014), Jiang et al. (2016), Esposito et al. (2017), Sun et al. (2018) 2. Hoyer et al. (2016) 3. Hoyer et al. (2016) 4. Hellier et al. (2011)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-44b	$2456006.39613 \pm 0.00009$	2.4238107 ± 0.0000003	1. Anderson et al. (2012), Turner et al. (2016), Mancini et al. (2013b), Moyano et al. (2017), Addison et al. (2019) 2. Anderson et al. (2012) 3. Anderson et al. (2012) 4. Anderson et al. (2012)
WASP-45b	2458254.7392 ± 0.0003	3.1260777 ± 0.0000008	1. Addison et al. (2019), Anderson et al. (2012), Edwards et al. (2021) 2. Ciceri et al. (2016) 3. Ciceri et al. (2016) 4. Anderson et al. (2012)
WASP-46b	$2456842.71410 \pm 0.00017$	$1.43037222 \pm 0.00000023$	1. Anderson et al. (2012), Petrucci et al. (2018), Moyano et al. (2017) 2. Ciceri et al. (2016) 3. Ciceri et al. (2016) 4. Anderson et al. (2012)
WASP-47b	2456354.9460 ± 0.0003	4.1591496 ± 0.0000010	1. Hellier et al. (2012) 2. Vanderburg et al. (2017) 3. Vanderburg et al. (2017) 4. Hellier et al. (2012)
WASP-48b	$2456176.98991 \pm 0.00012$	2.1436364 ± 0.0000003	1. Clark et al. (2018), Murgas et al. (2017), Turner et al. (2016), Enoch et al. (2011a), Ciceri et al. (2015) 2. Ciceri et al. (2015) 3. Ciceri et al. (2015) 4. Enoch et al. (2011a)
WASP-49b	$2456198.14045 \pm 0.00014$	2.7817366 ± 0.0000005	1. Lendl et al. (2012, 2016) 2. Wyttenbach et al. (2017) 3. Wyttenbach et al. (2017) 4. Lendl et al. (2012)
WASP-50b	$2457701.39451 \pm 0.00023$	1.9550928 ± 0.0000003	1. Gillon et al. (2011) 2. Tregloan-Reed & Southworth (2013) 3. Gillon et al. (2011) 4. Gillon et al. (2011)
WASP-52b	$2456770.05972 \pm 0.00004$	$1.74978119 \pm 0.00000010$	1. Öztürk & Erdem (2019), Bruno et al. (2018b), Chen et al. (2017), Louden et al. (2017), Mancini et al. (2017), Kirk et al. (2016), Hébrard et al. (2013), Baluev et al. (2015, 2019), Zellem et al. (2020) 2. Öztürk & Erdem (2019) 3. Hébrard et al. (2013) 4. Hébrard et al. (2013)
WASP-53b	$2456284.48161 \pm 0.00015$	3.3098436 ± 0.0000005	1. Triaud et al. (2017) 2. Triaud et al. (2017) 3. Triaud et al. (2017) 4. Triaud et al. (2017)
WASP-55b	$2456720.37845 \pm 0.00010$	4.4656299 ± 0.0000008	1. Southworth et al. (2016) 2. Southworth et al. (2016) 3. Southworth et al. (2016) 4. Hellier et al. (2012)
WASP-56b	$2455841.60939 \pm 0.00023$	4.6170654 ± 0.0000021	1. Faedi et al. (2013) 2. Faedi et al. (2013) 3. Faedi et al. (2013) 4. Faedi et al. (2013)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-57b	$2456433.28630 \pm 0.00010$	2.8389180 ± 0.0000006	1. Southworth et al. (2015a) 2. Southworth et al. (2015a) 3. Southworth et al. (2015a) 4. Faedi et al. (2013)
WASP-58b	2457692.5406 ± 0.0004	5.0172137 ± 0.0000016	1. Hébrard et al. (2013) 2. Mallonn et al. (2019b) 3. Hébrard et al. (2013) 4. Hébrard et al. (2013)
WASP-60b	2458902.6003 ± 0.0006	4.305007 ± 0.000003	1. Hébrard et al. (2013) 2. Hébrard et al. (2013) 3. Hébrard et al. (2013) 4. Hébrard et al. (2013)
WASP-61b	$2456152.57714 \pm 0.00023$	3.8558980 ± 0.0000010	1. Brown et al. (2017), Hellier et al. (2012) 2. Hellier et al. (2012) 3. Hellier et al. (2012) 4. Hellier et al. (2012)
WASP-62b	$2458427.55327 \pm 0.00004$	4.4119395 ± 0.0000004	1. Hellier et al. (2012), Brown et al. (2017), Skaf et al. (2020) 2. Hellier et al. (2012) 3. Hellier et al. (2012) 4. Hellier et al. (2012)
WASP-64b	$2456444.76501 \pm 0.00012$	$1.57329025 \pm 0.00000015$	1. Kozłowski et al. (2017), Gillon et al. (2013) 2. Gillon et al. (2013) 3. Gillon et al. (2013) 4. Gillon et al. (2013)
WASP-65b	$2456912.75129 \pm 0.00019$	2.3114217 ± 0.0000004	1. Gómez Maqueo Chew et al. (2013) 2. Gómez Maqueo Chew et al. (2013) 3. Gómez Maqueo Chew et al. (2013) 4. Gómez Maqueo Chew et al. (2013)
WASP-67b	$2456618.05370 \pm 0.00008$	4.6144166 ± 0.0000004	1. Hellier et al. (2012), Mancini et al. (2014b), Bruno et al. (2018a) 2. Hellier et al. (2012) 3. Hellier et al. (2012) 4. Hellier et al. (2012)
WASP-69b	$2457176.17789 \pm 0.00017$	3.8681390 ± 0.0000006	1. Anderson et al. (2014), Murgas et al. (2020), Tsiaras et al. (2018) 2. Anderson et al. (2014) 3. Anderson et al. (2014) 4. Anderson et al. (2014)
WASP-70Ab	2456319.4479 ± 0.0004	3.7130169 ± 0.0000012	1. Anderson et al. (2014) 2. Anderson et al. (2014) 3. Anderson et al. (2014) 4. Anderson et al. (2014)
WASP-74b	$2457205.93774 \pm 0.00010$	2.1377516 ± 0.0000006	1. Hellier et al. (2015), Mancini et al. (2019) 2. Hellier et al. (2015) 3. Hellier et al. (2015) 4. Hellier et al. (2015)
WASP-75b	2457340.3450 ± 0.0003	2.4841987 ± 0.0000006	1. Gómez Maqueo Chew et al. (2013) 2. Gómez Maqueo Chew et al. (2013) 3. Gómez Maqueo Chew et al. (2013) 4. Gómez Maqueo Chew et al. (2013)
WASP-76b	2457273.4191 ± 0.0005	1.8098806 ± 0.0000007	1. West et al. (2016) 2. West et al. (2016) 3. West et al. (2016) 4. West et al. (2016)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-77Ab	$2456663.34757 \pm 0.00012$	$1.36002922 \pm 0.00000013$	1. Maxted et al. (2013a), Turner et al. (2016), Cortés-Zuleta et al. (2020) 2. Maxted et al. (2013a) 3. Maxted et al. (2013a) 4. Maxted et al. (2013a)
WASP-78b	2456922.0975 ± 0.0003	2.1751852 ± 0.0000005	1. Brown et al. (2017), Smalley et al. (2012), Wong et al. (2020) 2. Smalley et al. (2012) 3. Smalley et al. (2012) 4. Smalley et al. (2012)
WASP-79b	$2458200.47327 \pm 0.00018$	3.6623925 ± 0.0000021	1. Skaf et al. (2020), Smalley et al. (2012) 2. Smalley et al. (2012) 3. Smalley et al. (2012) 4. Smalley et al. (2012)
WASP-80b	$2456671.49615 \pm 0.00004$	$3.06785271 \pm 0.00000019$	1. Triaud et al. (2013), Mancini et al. (2014c), Fukui et al. (2014), Turner et al. (2017), Kirk et al. (2018) 2. Triaud et al. (2015) 3. Triaud et al. (2015) 4. Triaud et al. (2013)
WASP-81b	$2456969.77318 \pm 0.00020$	2.7164835 ± 0.0000004	1. Triaud et al. (2017) 2. Triaud et al. (2017) 3. Triaud et al. (2017) 4. Triaud et al. (2017)
WASP-83b	2457121.9961 ± 0.0003	4.9712917 ± 0.0000012	1. Hellier et al. (2015), Edwards et al. (2021) 2. Hellier et al. (2015) 3. Hellier et al. (2015) 4. Hellier et al. (2015)
WASP-84b	$2456422.48255 \pm 0.00014$	8.523499 ± 0.000004	1. Anderson et al. (2014, 2015b) 2. Anderson et al. (2014) 3. Anderson et al. (2014) 4. Anderson et al. (2014)
WASP-85Ab	$2456847.472867 \pm 0.000010$	2.6556765 ± 0.0000004	1. Stefansson et al. (2017); Brown et al. (2014) 2. Močnik et al. (2016b) 3. Brown et al. (2014) 4. Brown et al. (2014)
WASP-88b	2458005.5181 ± 0.0006	4.9540021 ± 0.0000022	1. Delrez et al. (2014) 2. Delrez et al. (2014) 3. Delrez et al. (2014) 4. Delrez et al. (2014)
WASP-89b	$2456398.33771 \pm 0.00012$	3.3564182 ± 0.0000005	1. Hellier et al. (2015) 2. Hellier et al. (2015) 3. Hellier et al. (2015) 4. Hellier et al. (2015)
WASP-90b	2457003.1520 ± 0.0004	3.9162624 ± 0.0000013	1. West et al. (2016) 2. West et al. (2016) 3. West et al. (2016) 4. West et al. (2016)
WASP-92b	2457627.3719 ± 0.0003	2.1746733 ± 0.0000006	1. Hay et al. (2016) 2. Hay et al. (2016) 3. Hay et al. (2016) 4. Hay et al. (2016)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
			1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-93b	2457492.2860 ± 0.0003	2.7325358 ± 0.0000007	1. Hay et al. (2016) 2. Hay et al. (2016) 3. Hay et al. (2016) 4. Hay et al. (2016)
WASP-95b	$2456607.17355 \pm 0.00023$	2.1846688 ± 0.0000006	1. Hellier et al. (2014) 2. Hellier et al. (2014) 3. Hellier et al. (2014) 4. Hellier et al. (2014)
WASP-96b	$2457128.07797 \pm 0.00022$	3.4252565 ± 0.0000008	1. Nikolov et al. (2018), Hellier et al. (2014) 2. Hellier et al. (2014) 3. Hellier et al. (2014) 4. Hellier et al. (2014)
WASP-97b	$2457186.45400 \pm 0.00015$	2.0727600 ± 0.0000003	1. Hellier et al. (2014) 2. Hellier et al. (2014) 3. Hellier et al. (2014) 4. Hellier et al. (2014)
WASP-98b	$2456840.00365 \pm 0.00008$	2.9626415 ± 0.0000004	1. Hellier et al. (2014), Mancini et al. (2016a), Kozłowski et al. (2017) 2. Hellier et al. (2014) 3. Mancini et al. (2016a) 4. Hellier et al. (2014)
WASP-100b	$2458500.55730 \pm 0.00012$	2.8493830 ± 0.0000021	1. Hellier et al. (2014), Wong et al. (2020) 2. Hellier et al. (2014) 3. Hellier et al. (2014) 4. Hellier et al. (2014)
WASP-101b	$2456297.36537 \pm 0.00019$	3.5857072 ± 0.0000012	1. Hellier et al. (2014) 2. Hellier et al. (2014) 3. Hellier et al. (2014) 4. Hellier et al. (2014)
WASP-103b	$2457132.47094 \pm 0.00004$	$0.92554544 \pm 0.00000008$	1. Delrez et al. (2018), Gillon et al. (2014), Turner et al. (2017), Southworth et al. (2015b), Maciejewski et al. (2018), Lendl et al. (2017), Patra et al. (2020) 2. Southworth et al. (2015b) 3. Southworth & Evans (2016) 4. Gillon et al. (2014)
WASP-104b	$2457048.59061 \pm 0.00016$	1.7554060 ± 0.0000003	1. Smith et al. (2014) 2. Smith et al. (2014) 3. Smith et al. (2014) 4. Smith et al. (2014)
WASP-107b	2456680.3346 ± 0.0003	5.721488 ± 0.000003	1. Anderson et al. (2017) 2. Močnik et al. (2017a) 3. Močnik et al. (2017a) 4. Anderson et al. (2017)
WASP-113b	$2457201.64037 \pm 0.00004$	4.542170 ± 0.000003	1. Barros et al. (2016) 2. Barros et al. (2016) 3. Barros et al. (2016) 4. Barros et al. (2016)
WASP-114b	$2457242.33222 \pm 0.00020$	1.5487752 ± 0.0000003	1. Barros et al. (2016), Patra et al. (2020) 2. Barros et al. (2016) 3. Barros et al. (2016) 4. Barros et al. (2016)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
WASP-119b	2458924.8626 ± 0.0004	2.4998045 ± 0.0000017	1. Maciejewski (2020) 2. Maxted et al. (2016) 3. Maxted et al. (2016) 4. Maxted et al. (2016)
WASP-121b	$2457404.48798 \pm 0.00006$	$1.27492477 \pm 0.00000012$	1. Tsiaras et al. (2018), Delrez et al. (2016), Evans et al. (2018), Bourrier et al. (2020) 2. Delrez et al. (2016) 3. Delrez et al. (2016) 3. Delrez et al. (2016)
WASP-124b	$2457173.60811 \pm 0.00012$	3.3726492 ± 0.0000008	1. Maxted et al. (2016) 2. Maxted et al. (2016) 3. Maxted et al. (2016) 4. Maxted et al. (2016)
WASP-126b	2457758.5601 ± 0.0006	3.2887885 ± 0.0000018	1. Maxted et al. (2016) 2. Maxted et al. (2016) 3. Maxted et al. (2016) 4. Maxted et al. (2016)
WASP-132b	2457732.5679 ± 0.0003	7.1335135 ± 0.0000018	1. Hellier et al. (2017) 2. Hellier et al. (2017) 3. Hellier et al. (2017) 4. Hellier et al. (2017)
WASP-133b	$2457262.80855 \pm 0.00019$	2.1764231 ± 0.0000008	1. Maxted et al. (2016) 2. Maxted et al. (2016) 3. Maxted et al. (2016) 4. Maxted et al. (2016)
WASP-135b	2458606.9117 ± 0.0003	1.4013788 ± 0.0000004	1. Spake et al. (2016) 2. Spake et al. (2016) 3. Spake et al. (2016) 4. Spake et al. (2016)
WASP-140b	$2457205.26576 \pm 0.00022$	2.2359838 ± 0.0000007	1. Hellier et al. (2017) 2. Hellier et al. (2017) 3. Hellier et al. (2017) 4. Hellier et al. (2017)
WASP-153b	2458018.1510 ± 0.0007	3.3326099 ± 0.0000020	1. Demangeon et al. (2018) 2. Demangeon et al. (2018) 3. Demangeon et al. (2018) 4. Demangeon et al. (2018)
WASP-157b	$2457265.70719 \pm 0.00009$	3.951605 ± 0.000003	1. Močnik et al. (2016a) 2. Močnik et al. (2016a) 3. Močnik et al. (2016a) 4. Močnik et al. (2016a)
WASP-164b	2457747.6583 ± 0.0003	1.7771363 ± 0.0000006	1. Lendl et al. (2019) 2. Lendl et al. (2019) 3. Lendl et al. (2019) 4. Lendl et al. (2019)
WASP-167b	$2456717.82564 \pm 0.00019$	2.0219570 ± 0.0000007	1. Temple et al. (2017) 2. Temple et al. (2017) 3. Temple et al. (2017) 4. Temple et al. (2017)

Table 2
(Continued)

Planet	New T_0 (BJD _{TDB})	New Period (days)	
XO-1b	$2455385.51978 \pm 0.00005$	$3.94150500 \pm 0.00000018$	1. References for literature data used 2. Reference for the initial ephemeris 3. Reference for the transit parameters used 4. Reference for the stellar parameters used
XO-2Nb	$2456923.17711 \pm 0.00015$	$2.61585978 \pm 0.00000019$	1. Burke et al. (2007) 2. Damasso et al. (2015) 3. Damasso et al. (2015) 4. Torres et al. (2008)
XO-3b	$2455024.34346 \pm 0.00013$	3.1915250 ± 0.0000003	1. Johns-Krull et al. (2008), Turner et al. (2017), Garai et al. (2017), Winn et al. (2008, 2009b), Hébrard et al. (2008) 2. Wong et al. (2014) 3. Wong et al. (2014) 4. Johns-Krull et al. (2008)
XO-4b	$2455682.20389 \pm 0.00023$	4.1250679 ± 0.0000006	1. McCullough et al. (2008), Narita et al. (2010), Todorov et al. (2012), Villanueva et al. (2016) 2. Narita et al. (2010) 3. Narita et al. (2010) 4. McCullough et al. (2008)
XO-5b	2455469.7912 ± 0.0003	4.1877562 ± 0.0000006	1. Pál et al. (2009), Burke et al. (2008) 2. Smith (2015) 3. Smith (2015) 4. Burke et al. (2008)
XO-6b	$2458843.93943 \pm 0.00012$	3.7649939 ± 0.0000013	Crouzet et al. (2017), Ridden-Harper et al. (2020) Crouzet et al. (2017) Crouzet et al. (2017) Crouzet et al. (2017)

Note. The actual values used can be found in the Data Release B.

ORCID iDs

- A. Kokori  <https://orcid.org/0000-0002-3205-0147>
- A. Tsiaras  <https://orcid.org/0000-0003-3840-1793>
- B. Edwards  <https://orcid.org/0000-0002-5494-3237>
- G. Tinetti  <https://orcid.org/0000-0001-6058-6654>
- S. M. Brincat  <https://orcid.org/0000-0002-9205-5329>
- F. Grau Horta  <https://orcid.org/0000-0001-9927-7269>
- P. Guerra  <https://orcid.org/0000-0002-4308-2339>
- M. Mallonn  <https://orcid.org/0000-0003-2865-042X>
- M. Morvan  <https://orcid.org/0000-0001-8587-2112>
- L. V. Mugnai  <https://orcid.org/0000-0002-9007-9802>

References

- Addison, B., Wright, D. J., Wittenmyer, R. A., et al. 2019, *PASP*, 131, 115003
- Agol, E., Cowan, N. B., Knutson, H. A., et al. 2010, *ApJ*, 721, 1861
- Agol, E., Steffen, J., Sari, R., & Clarkson, W. 2005, *MNRAS*, 359, 567
- Albrecht, S., Winn, J. N., Johnson, J. A., et al. 2011, *ApJ*, 738, 50
- Alderson, L., Kirk, J., López-Morales, M., et al. 2020, *MNRAS*, 497, 5182
- Alexoudi, X., Mallonn, M., von Essen, C., et al. 2018, *A&A*, 620, A142
- Alonso, R., Auvergne, M., Baglin, A., et al. 2008a, *A&A*, 482, L21
- Alonso, R., Barbieri, M., Rabus, M., et al. 2008b, *A&A*, 487, L5
- Alonso, R., Brown, T. M., Torres, G., et al. 2004, *ApJL*, 613, L153
- Alsubai, K., Mislis, D., Tsvetanov, Z. I., et al. 2017, *AJ*, 153, 200

- Alsubai, K. A., Parley, N. R., Bramich, D. M., et al. 2011, *MNRAS*, 417, 709
- Anderson, D. R., Barros, S. C. C., Boisse, I., et al. 2011a, *PASP*, 123, 555
- Anderson, D. R., Collier Cameron, A., Delrez, L., et al. 2014, *MNRAS*, 445, 1114
- Anderson, D. R., Collier Cameron, A., Delrez, L., et al. 2017, *A&A*, 604, A110
- Anderson, D. R., Collier Cameron, A., Gillon, M., et al. 2012, *MNRAS*, 422, 1988
- Anderson, D. R., Collier Cameron, A., Hellier, C., et al. 2011b, *A&A*, 531, A60
- Anderson, D. R., Collier Cameron, A., Hellier, C., et al. 2015a, *A&A*, 575, A61
- Anderson, D. R., Gillon, M., Hellier, C., et al. 2008, *MNRAS*, 387, L4
- Anderson, D. R., Triaud, A. H. M. J., Turner, O. D., et al. 2015b, *ApJL*, 800, L9
- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., et al. 2013, *A&A*, 558, A33
- Baluev, R. V., Sokov, E. N., Jones, H. R. A., et al. 2019, *MNRAS*, 490, 1294
- Baluev, R. V., Sokov, E. N., Shaidulin, V. S., et al. 2015, *MNRAS*, 450, 3101
- Bakos, G. Á., Hartman, J. D., Bhatti, W., et al. 2015, *AJ*, 149, 149
- Bakos, G. Á., Hartman, J., Torres, G., et al. 2011, *ApJ*, 742, 116
- Bakos, G. Á., Hartman, J. D., Torres, G., et al. 2012, *AJ*, 144, 19
- Bakos, G. Á., Howard, A. W., Noyes, R. W., et al. 2009, *ApJ*, 707, 446
- Bakos, G. Á., Shporer, A., Pál, A., et al. 2007, *ApJL*, 671, L173
- Bakos, G. Á., Torres, G., Pál, A., et al. 2010, *ApJ*, 710, 1724
- Barros, S. C. C., Boué, G., Gibson, N. P., et al. 2013, *MNRAS*, 430, 3032
- Barros, S. C. C., Brown, D. J. A., Hébrard, G., et al. 2016, *A&A*, 593, A113
- Bean, J. L., Désert, J.-M., Seifahrt, A., et al. 2013, *ApJ*, 771, 108

- Bean, J. L., & Seifahrt, A. 2008, *A&A*, **487**, L25
- Beatty, T. G., Collins, K. A., Fortney, J., et al. 2014, *ApJ*, **783**, 112
- Beatty, T. G., Madhusudhan, N., Pogge, R., et al. 2017, *AJ*, **154**, 242
- Beatty, T. G., Marley, M. S., Gaudi, B. S., et al. 2019, *AJ*, **158**, 166
- Beatty, T. G., Wong, I., Fetherolf, T., et al. 2020, *AJ*, **160**, 211
- Beaulieu, J. P., Tinetti, G., Kipping, D. M., et al. 2011, *ApJ*, **731**, 16
- Beck, P., Robson, L., Gallaway, M., Jones, H. R. A., & Campbell, D. 2019, *PASP*, **131**, 084402
- Becker, A. C., Kundurthy, P., Agol, E., et al. 2013, *ApJL*, **764**, L17
- Béké, B., Bakos, G. Á., Hartman, J., et al. 2011, *ApJ*, **734**, 109
- Benneke, B., Werner, M., Petigura, E., et al. 2017, *ApJ*, **834**, 187
- Bento, J., Schmidt, B., Hartman, J. D., et al. 2017, *MNRAS*, **468**, 835
- Berta, Z. K., Charbonneau, D., Bean, J., et al. 2011, *ApJ*, **736**, 12
- Berta, Z. K., Charbonneau, D., Désert, J.-M., et al. 2012, *ApJ*, **747**, 35
- Bieryla, A., Collins, K., Beatty, T. G., et al. 2015, *AJ*, **150**, 12
- Bieryla, A., Hartman, J. D., Bakos, G. Á., et al. 2014, *AJ*, **147**, 84
- Blecic, J., Harrington, J., Madhusudhan, N., et al. 2013, *ApJ*, **779**, 5
- Bouchy, F., Hebb, L., Skillen, I., et al. 2010, *A&A*, **519**, A98
- Bouma, L. G., Winn, J. N., Baxter, C., et al. 2019, *AJ*, **157**, 217
- Bourrier, V., Kitzmann, D., Kuntzer, T., et al. 2020, *A&A*, **637**, A36
- Brahm, R., Hartman, J. D., Jordán, A., et al. 2018, *AJ*, **155**, 112
- Brown, D. J. A., Anderson, D. R., Doyle, A. P., et al. 2014, arXiv:1412.7761
- Brown, D. J. A., Triaud, A. H. M. J., Doyle, A. P., et al. 2017, *MNRAS*, **464**, 810
- Bruno, G., Deleuil, M., Almenara, J. M., et al. 2016, *A&A*, **595**, A89
- Bruno, G., Lewis, N. K., Stevenson, K. B., et al. 2018a, *AJ*, **155**, 55
- Bruno, G., Lewis, N. K., Stevenson, K. B., et al. 2018b, *AJ*, **156**, 124
- Bryan, M. L., Alsabai, K. A., Latham, D. W., et al. 2012, *ApJ*, **750**, 84
- Buchhave, L. A., Bakos, G. Á., Hartman, J. D., et al. 2010, *ApJ*, **720**, 1118
- Buchhave, L. A., Bakos, G. Á., Hartman, J. D., et al. 2011, *ApJ*, **733**, 116
- Burdanov, A., Benni, P., Sokov, E., et al. 2018, *PASP*, **130**, 074401
- Burke, C. J., McCullough, P. R., Bergeron, L. E., et al. 2010, *ApJ*, **719**, 1796
- Burke, C. J., McCullough, P. R., Valenti, J. A., et al. 2007, *ApJ*, **671**, 2115
- Burke, C. J., McCullough, P. R., Valenti, J. A., et al. 2008, *ApJ*, **686**, 1331
- Cáceres, C., Ivanov, V. D., Minniti, D., et al. 2009, *A&A*, **507**, 481
- Cáceres, C., Kabath, P., Hoyer, S., et al. 2014, *A&A*, **565**, A7
- Chan, T., Ingemyr, M., Winn, J. N., et al. 2011, *AJ*, **141**, 179
- Charbonneau, D., Allen, L. E., Megeath, S. T., et al. 2005, *ApJ*, **626**, 523
- Charbonneau, D., Berta, Z. K., Irwin, J., et al. 2009, *Natur*, **462**, 891
- Charbonneau, D., Winn, J. N., Everett, M. E., et al. 2007, *ApJ*, **658**, 1322
- Chavero, C., de La Reza, R., Domingos, R. C., et al. 2010, *A&A*, **517**, A40
- Chen, G., Casasayas-Barris, N., Pallé, E., et al. 2020, *A&A*, **642**, A54
- Chen, G., Pallé, E., Nortmann, L., et al. 2017, *A&A*, **600**, L11
- Chen, G., van Boekel, R., Wang, H., et al. 2014, *A&A*, **563**, A40
- Christian, D. J., Gibson, N. P., Simpson, E. K., et al. 2009, *MNRAS*, **392**, 1585
- Christiansen, J. L., Ballard, S., Charbonneau, D., et al. 2010, *ApJ*, **710**, 97
- Christiansen, J. L., Ballard, S., Charbonneau, D., et al. 2011, *ApJ*, **726**, 94
- Ciceri, S., Mancini, L., Southworth, J., et al. 2013, *A&A*, **557**, A30
- Ciceri, S., Mancini, L., Southworth, J., et al. 2015, *A&A*, **577**, A54
- Ciceri, S., Mancini, L., Southworth, J., et al. 2016, *MNRAS*, **456**, 990
- Clark, B. J. M., Anderson, D. R., Madhusudhan, N., et al. 2018, *A&A*, **615**, A86
- Collier Cameron, A., Bouchy, F., Hébrard, G., et al. 2007, *MNRAS*, **375**, 951
- Collins, K. A., Kielkopf, J. F., & Stassun, K. G. 2017, *AJ*, **153**, 78
- Colón, K. D., Ford, E. B., Lee, B., Mahadevan, S., & Blake, C. H. 2010, *MNRAS*, **408**, 1494
- Cortés-Zuleta, P., Rojo, P., Wang, S., et al. 2020, *A&A*, **636**, A98
- Covino, E., Esposito, M., Barbieri, M., et al. 2013, *A&A*, **554**, A28
- Crouzet, N., McCullough, P. R., Long, D., et al. 2017, *AJ*, **153**, 94
- Cubillos, P., Harrington, J., Madhusudhan, N., et al. 2014, *ApJ*, **797**, 42
- Dai, F., Winn, J. N., Yu, L., & Albrecht, S. 2017, *AJ*, **153**, 40
- Damasso, M., Biazzo, K., Bonomo, A. S., et al. 2015, *A&A*, **575**, A111
- de Val-Borro, M., Bakos, G. Á., Brahm, R., et al. 2016, *AJ*, **152**, 161
- Delrez, L., Madhusudhan, N., Lendl, M., et al. 2018, *MNRAS*, **474**, 2334
- Delrez, L., Santerne, A., Almenara, J. M., et al. 2016, *MNRAS*, **458**, 4025
- Delrez, L., Van Grootel, V., Anderson, D. R., et al. 2014, *A&A*, **563**, A143
- Demangeon, O. D. S., Faedi, F., Hébrard, G., et al. 2018, *A&A*, **610**, A63
- Deming, D., Harrington, J., Laughlin, G., et al. 2007, *ApJL*, **667**, L199
- Deming, D., Sada, P. V., Jackson, B., et al. 2011, *ApJ*, **740**, 33
- Deming, D., Wilkins, A., McCullough, P., et al. 2013, *ApJ*, **774**, 95
- Dittmann, J. A., Close, L. M., Scuderi, L. J., & Morris, M. D. 2010, *ApJ*, **717**, 235
- Dittmann, J. A., Close, L. M., Scuderi, L. J., Turner, J., & Stephenson, P. C. 2012, *NewA*, **17**, 438
- Dragomir, D., Harris, M., Pepper, J., et al. 2020, *AJ*, **159**, 219
- Dragomir, D., Kane, S. R., Pilyavsky, G., et al. 2011, *AJ*, **142**, 115
- Dunham, E. W., Borucki, W. J., Koch, D. G., et al. 2010, *ApJL*, **713**, L136
- Edwards, B., Changeat, Q., Yip, K. H., et al. 2021, *MNRAS*, **504**, 5671
- Edwards, B., Mugnai, L., Tinetti, G., Pascale, E., & Sarkar, S. 2019, *AJ*, **157**, 242
- Eibe, M. T., Cuesta, L., Ullán, A., Pérez-Verde, A., & Navas, J. 2012, *MNRAS*, **423**, 1381
- Enoch, B., Anderson, D. R., Barros, S. C. C., et al. 2011a, *AJ*, **142**, 86
- Enoch, B., Cameron, A. C., Anderson, D. R., et al. 2011b, *MNRAS*, **410**, 1631
- Espinosa, N., Bayliss, D., Hartman, J. D., et al. 2016, *AJ*, **152**, 108
- Espinosa, N., Rackham, B. V., Jordán, A., et al. 2019, *MNRAS*, **482**, 2065
- Esposito, M., Covino, E., Desidera, S., et al. 2017, *A&A*, **601**, A53
- Esteves, L. J., De Mooij, E. J. W., & Jayawardhana, R. 2015, *ApJ*, **804**, 150
- Evans, D. F., Southworth, J., & Smalley, B. 2016, *ApJL*, **833**, L19
- Evans, T. M., Sing, D. K., Goyal, J. M., et al. 2018, *AJ*, **156**, 283
- Faedi, F., Pollacco, D., Barros, S. C. C., et al. 2013, *A&A*, **551**, A73
- Foreman-Mackey, D., Hogg, D. W., Lang, D., & Goodman, J. 2013, *PASP*, **125**, 306
- Fortney, J. J., Demory, B.-O., Désert, J.-M., et al. 2011, *ApJS*, **197**, 9
- Fraine, J. D., Deming, D., Gillon, M., et al. 2013, *ApJ*, **765**, 127
- Fukui, A., Kawashima, Y., Ikoma, M., et al. 2014, *ApJ*, **790**, 108
- Fukui, A., Narita, N., Kawashima, Y., et al. 2016, *ApJ*, **819**, 27
- Fukui, A., Narita, N., Tristram, P. J., et al. 2011, *PASJ*, **63**, 287
- Fulton, B. J., Shporer, A., Winn, J. N., et al. 2011, *AJ*, **142**, 84
- Gajdoš, P., Vaňko, M., & Parimucha, Š. 2019, *RAA*, **19**, 041
- Garai, Z., Pribulla, T., Hambálek, Ł., et al. 2017, *AN*, **338**, 35
- Garhart, E., Deming, D., Mandell, A., et al. 2020, *AJ*, **159**, 137
- Gibson, N. P., Aigrain, S., Barstow, J. K., et al. 2013a, *MNRAS*, **436**, 2974
- Gibson, N. P., Aigrain, S., Barstow, J. K., et al. 2013b, *MNRAS*, **428**, 3680
- Gibson, N. P., Pollacco, D., Simpson, E. K., et al. 2008, *A&A*, **492**, 603
- Gibson, N. P., Pollacco, D., Simpson, E. K., et al. 2009, *ApJ*, **700**, 1078
- Gibson, N. P., Pollacco, D. L., Barros, S., et al. 2010, *MNRAS*, **401**, 1917
- Gillon, M., Anderson, D. R., Collier-Cameron, A., et al. 2013, *A&A*, **552**, A82
- Gillon, M., Anderson, D. R., Collier-Cameron, A., et al. 2014, *A&A*, **562**, L3
- Gillon, M., Anderson, D. R., Triaud, A. H. M. J., et al. 2009a, *A&A*, **501**, 785
- Gillon, M., Demory, B. O., Barman, T., et al. 2007a, *A&A*, **471**, L51
- Gillon, M., Doyle, A. P., Lendl, M., et al. 2011, *A&A*, **533**, A88
- Gillon, M., Pont, F., Demory, B. O., et al. 2007b, *A&A*, **472**, L13
- Gillon, M., Smalley, B., Hebb, L., et al. 2009b, *A&A*, **496**, 259
- Gillon, M., Triaud, A. H. M. J., Fortney, J. J., et al. 2012, *A&A*, **542**, A4
- Gómez Maqueo Chew, Y., Faedi, F., Pollacco, D., et al. 2013, *A&A*, **559**, A36
- Granata, V., Nascimbeni, V., Piotto, G., et al. 2014, *AN*, **335**, 797
- Harpsøe, K. B. W., Hardis, S., Hinse, T. C., et al. 2013, *A&A*, **549**, A10
- Harris, C. R., Millman, K. J., van der Walt, S. J., et al. 2020, *Natur*, **585**, 357
- Hartman, J. D., Bayliss, D., Brahm, R., et al. 2015a, *AJ*, **149**, 166
- Hartman, J. D., Bakos, G. Á., Béké, B., et al. 2012, *AJ*, **144**, 139
- Hartman, J. D., Bhatti, W., Bakos, G. Á., et al. 2015b, *AJ*, **150**, 168
- Hartman, J. D., Bakos, G. Á., Bhatti, W., et al. 2016, *AJ*, **152**, 182
- Hartman, J. D., Bakos, G. Á., Buchhave, L. A., et al. 2015c, *AJ*, **150**, 197
- Hartman, J. D., Bakos, G. Á., Kipping, D. M., et al. 2011a, *ApJ*, **728**, 138
- Hartman, J. D., Bakos, G. Á., Sato, B., et al. 2011b, *ApJ*, **726**, 52
- Hartman, J. D., Bakos, G. Á., Torres, G., et al. 2009, *ApJ*, **706**, 785
- Hartman, J. D., Bakos, G. Á., Torres, G., et al. 2011c, *ApJ*, **742**, 59
- Hartman, J. D., Bakos, G. Á., Torres, G., et al. 2014, *AJ*, **147**, 128
- Haswell, C. A., Fossati, L., Ayres, T., et al. 2012, *ApJ*, **760**, 79
- Hay, K. L., Collier-Cameron, A., Doyle, A. P., et al. 2016, *MNRAS*, **463**, 3276
- Hebb, L., Collier-Cameron, A., Loeillet, B., et al. 2009, *ApJ*, **693**, 1920
- Hebb, L., Collier-Cameron, A., Triaud, A. H. M. J., et al. 2010, *ApJ*, **708**, 224
- Hébrard, G., Bouchy, F., Pont, F., et al. 2008, *A&A*, **488**, 763
- Hébrard, G., Collier Cameron, A., Brown, D. J. A., et al. 2013, *A&A*, **549**, A134
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2009, *Natur*, **460**, 1098
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2010, *ApJL*, **723**, L60
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2011, *A&A*, **535**, L7
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2012, *MNRAS*, **426**, 739
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2014, *MNRAS*, **440**, 1982
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2015, *AJ*, **150**, 18
- Hellier, C., Anderson, D. R., Collier Cameron, A., et al. 2017, *MNRAS*, **465**, 3693
- Hinse, T. C., Han, W., Yoon, J.-N., et al. 2015, *JASS*, **32**, 21
- Holczer, T., Mazeh, T., Nachmani, G., et al. 2016, *ApJS*, **225**, 9
- Holman, M. J., Winn, J. N., Latham, D. W., et al. 2006, *ApJ*, **652**, 1715
- Holman, M. J., Winn, J. N., Latham, D. W., et al. 2007, *ApJ*, **664**, 1185
- Howard, A. W., Bakos, G. A., Hartman, J., et al. 2012, *ApJ*, **749**, 134
- Hoyer, S., López-Morales, M., Rojo, P., et al. 2013, *MNRAS*, **434**, 46

- Hoyer, S., Pallé, E., Dragomir, D., & Murgas, F. 2016, *AJ*, **151**, 137
 Hoyer, S., Rojo, P., & López-Morales, M. 2012, *ApJ*, **748**, 22
 Hrudková, M., Skillen, I., Benn, C. R., et al. 2010, *MNRAS*, **403**, 2111
 Huang, C. X., Hartman, J. D., Bakos, G. Á., et al. 2015, *AJ*, **150**, 85
 Huitson, C. M., Désert, J. M., Bean, J. L., et al. 2017, *AJ*, **154**, 95
 Huitson, C. M., Sing, D. K., Pont, F., et al. 2013, *MNRAS*, **434**, 3252
 Hunter, J. D. 2007, *CSE*, **9**, 90
 Jiang, I.-G., Lai, C.-Y., Savushkin, A., et al. 2016, *AJ*, **151**, 17
 Jiang, I.-G., Yeh, L.-C., Thakur, P., et al. 2013, *AJ*, **145**, 68
 Johns-Krull, C. M., McCullough, P. R., Burke, C. J., et al. 2008, *ApJ*, **677**, 657
 Johnson, J. A., Winn, J. N., Bakos, G. Á., et al. 2011, *ApJ*, **735**, 24
 Johnson, J. A., Winn, J. N., Albrecht, S., et al. 2009a, *PASP*, **121**, 1104
 Johnson, J. A., Winn, J. N., Cabrera, N. E., & Carter, J. A. 2009b, *ApJL*, **692**, L100
 Johnson, J. A., Winn, J. N., Narita, N., et al. 2008, *ApJ*, **686**, 649
 Johnson, M. C., Dai, F., Justesen, A. B., et al. 2018, *MNRAS*, **481**, 596
 Johnson, M. C., Gandolfi, D., Fridlund, M., et al. 2016, *AJ*, **151**, 171
 Jordán, A., Brahm, R., Bakos, G. Á., et al. 2014, *AJ*, **148**, 29
 Joshi, Y. C., Pollacco, D., Collier Cameron, A., et al. 2009, *MNRAS*, **392**, 1532
 Juncker, D., Buchhave, L. A., Hartman, J. D., et al. 2015, *PASP*, **127**, 851
 Kabáth, P., Zák, J., Boffin, H. M. J., et al. 2019, *PASP*, **131**, 085001
 Kain, I. J., Newton, E. R., Dittmann, J. A., et al. 2020, *AJ*, **159**, 83
 Kammer, J. A., Knutson, H. A., Line, M. R., et al. 2015, *ApJ*, **810**, 118
 Kipping, D., & Bakos, G. 2011a, *ApJ*, **730**, 50
 Kipping, D., & Bakos, G. 2011b, *ApJ*, **733**, 36
 Kipping, D. M., Bakos, G. Á., Hartman, J., et al. 2010, *ApJ*, **725**, 2017
 Kirk, J., Wheatley, P. J., Louden, T., et al. 2016, *MNRAS*, **463**, 2922
 Kirk, J., Wheatley, P. J., Louden, T., et al. 2017, *MNRAS*, **468**, 3907
 Kirk, J., Wheatley, P. J., Louden, T., et al. 2018, *MNRAS*, **474**, 876
 Kjurkchieva, D., Dimitrov, D., & Ibryamov, S. 2016, *BlgAJ*, **24**, 101
 Knutson, H. A., Benneke, B., Deming, D., & Homeier, D. 2014, *Natur*, **505**, 66
 Knutson, H. A., Charbonneau, D., Noyes, R. W., Brown, T. M., & Gilliland, R. L. 2007, *ApJ*, **655**, 564
 Knutson, H. A., Madhusudhan, N., Cowan, N. B., et al. 2011, *ApJ*, **735**, 27
 Kokori, A., Tsiares, A., Edwards, B., et al. 2021, *ExA*, in press
 Kovács, G., Bakos, G. Á., Torres, G., et al. 2007, *ApJL*, **670**, L41
 Kozłowski, S. K., Sybilski, P. W., Konacki, M., et al. 2017, *PASP*, **129**, 105001
 Kreidberg, L., Line, M. R., Bean, J. L., et al. 2015, *ApJ*, **814**, 66
 Krejčová, T., & Budaj, J. 2010, in ASP Conf. Ser. 435, Binaries—Key to Comprehension of the Universe, ed. A. Prša & M. Zejda (San Francisco, CA: ASP), 447
 Kundurthy, P., Becker, A. C., Agol, E., Barnes, R., & Williams, B. 2013, *ApJ*, **764**, 8
 Lanotte, A. A., Gillon, M., Demory, B. O., et al. 2014, *A&A*, **572**, A73
 Latham, D. W., Bakos, G. Á., Torres, G., et al. 2009, *ApJ*, **704**, 1107
 Lee, J. W., Youn, J.-H., Kim, S.-L., Lee, C.-U., & Hinse, T. C. 2012, *AJ*, **143**, 95
 Lendl, M., Anderson, D. R., Bonfanti, A., et al. 2019, *MNRAS*, **482**, 301
 Lendl, M., Anderson, D. R., Collier-Cameron, A., et al. 2012, *A&A*, **544**, A72
 Lendl, M., Cubillos, P. E., Hagelberg, J., et al. 2017, *A&A*, **606**, A18
 Lendl, M., Delrez, L., Gillon, M., et al. 2016, *A&A*, **587**, A67
 Lendl, M., Gillon, M., Queloz, D., et al. 2013, *A&A*, **552**, A2
 Lillo-Box, J., Barrado, D., Santos, N. C., et al. 2015, *A&A*, **577**, A105
 Line, M. R., Knutson, H., Deming, D., Wilkins, A., & Desert, J.-M. 2013, *ApJ*, **778**, 183
 Lister, T. A., Anderson, D. R., Gillon, M., et al. 2009, *ApJ*, **703**, 752
 Louden, T., Wheatley, P. J., Irwin, P. G. J., Kirk, J., & Skillen, I. 2017, *MNRAS*, **470**, 742
 Maciejewski, G. 2020, *AcA*, **70**, 181
 Maciejewski, G., Dimitrov, D., Fernández, M., et al. 2016a, *A&A*, **588**, L6
 Maciejewski, G., Dimitrov, D., Mancini, L., et al. 2016b, *AcA*, **66**, 55
 Maciejewski, G., Dimitrov, D., Neuhauser, R., et al. 2010, *MNRAS*, **407**, 2625
 Maciejewski, G., Dimitrov, D., Neuhauser, R., et al. 2011a, *MNRAS*, **411**, 1204
 Maciejewski, G., Dimitrov, D., Seeliger, M., et al. 2013a, *A&A*, **551**, A108
 Maciejewski, G., Errmann, R., Raetz, S., et al. 2011b, *A&A*, **528**, A65
 Maciejewski, G., Fernández, M., Aceituno, F., et al. 2018, *AcA*, **68**, 371
 Maciejewski, G., Fernández, M., Aceituno, F. J., et al. 2015, *A&A*, **577**, A109
 Maciejewski, G., Niedzielski, A., Wolszczan, A., et al. 2013b, *AJ*, **146**, 147
 Maciejewski, G., Ohlert, J., Dimitrov, D., et al. 2014, *AcA*, **64**, 11
 Maciejewski, G., Raetz, S., Nettelmann, N., et al. 2011c, *A&A*, **535**, A7
 Mallonn, M., Juvan-Beaulieu, I., Sedaghati, E., et al. 2019a, *RNAAS*, **3**, 123
 Mallonn, M., Nascimbeni, V., Weingrill, J., et al. 2015a, *A&A*, **583**, A138
 Mallonn, M., & Strassmeier, K. G. 2016, *A&A*, **590**, A100
 Mallonn, M., von Essen, C., Herrero, E., et al. 2019b, *A&A*, **622**, A81
 Mallonn, M., von Essen, C., Weingrill, J., et al. 2015b, *A&A*, **580**, A60
 Mancini, L., Ciceri, S., Chen, G., et al. 2013a, *MNRAS*, **436**, 2
 Mancini, L., Esposito, M., Covino, E., et al. 2015a, *A&A*, **579**, A136
 Mancini, L., Esposito, M., Covino, E., et al. 2018, *A&A*, **613**, A41
 Mancini, L., Giordano, M., Mollière, P., et al. 2016a, *MNRAS*, **461**, 1053
 Mancini, L., Hartman, J. D., Penev, K., et al. 2015b, *A&A*, **580**, A63
 Mancini, L., Kemmer, J., Southworth, J., et al. 2016b, *MNRAS*, **459**, 1393
 Mancini, L., Nikolov, N., Southworth, J., et al. 2013b, *MNRAS*, **430**, 2932
 Mancini, L., Southworth, J., Ciceri, S., et al. 2013c, *A&A*, **551**, A11
 Mancini, L., Southworth, J., Ciceri, S., et al. 2014a, *MNRAS*, **443**, 2391
 Mancini, L., Southworth, J., Ciceri, S., et al. 2014b, *A&A*, **568**, A127
 Mancini, L., Southworth, J., Ciceri, S., et al. 2014c, *A&A*, **562**, A126
 Mancini, L., Southworth, J., Mollière, P., et al. 2019, *MNRAS*, **485**, 5168
 Mancini, L., Southworth, J., Raia, G., et al. 2017, *MNRAS*, **465**, 843
 Mandushev, G., O'Donovan, F. T., Charbonneau, D., et al. 2007, *ApJL*, **667**, L195
 Mandushev, G., Quinn, S. N., Buchhave, L. A., et al. 2011, *ApJ*, **741**, 114
 Mann, A. W., Gaidos, E., Mace, G. N., et al. 2016, *ApJ*, **818**, 46
 Mannaday, V. K., Thakur, P., Jiang, I.-G., et al. 2020, *AJ*, **160**, 47
 Maxted, P. F. L., Anderson, D. R., Collier Cameron, A., et al. 2010, *PASP*, **122**, 1465
 Maxted, P. F. L., Anderson, D. R., Collier Cameron, A., et al. 2013a, *PASP*, **125**, 48
 Maxted, P. F. L., Anderson, D. R., Collier Cameron, A., et al. 2016, *A&A*, **591**, A55
 Maxted, P. F. L., Anderson, D. R., Doyle, A. P., et al. 2013b, *MNRAS*, **428**, 2645
 McCullough, P. R., Burke, C. J., Valenti, J. A., et al. 2008, arXiv:0805.2921
 McCullough, P. R., Stys, J. E., Valenti, J. A., et al. 2006, *ApJ*, **648**, 1228
 McLeod, K. K., Rodriguez, J. E., Oelkers, R. J., et al. 2017, *AJ*, **153**, 263
 Miller-Ricci, E., Rowe, J. F., Sasselov, D., et al. 2008, *ApJ*, **682**, 586
 Mislis, D., Mancini, L., Tregloan-Reed, J., et al. 2015, *MNRAS*, **448**, 2617
 Mislis, D., Schröter, S., Schmitt, J. H. M. M., Cordes, O., & Reif, K. 2010, *A&A*, **510**, A107
 Montalto, M., Gregorio, J., Boué, G., et al. 2012, *MNRAS*, **427**, 2757
 Morello, G., Claret, A., Martin-Lagarde, M., et al. 2020, *AJ*, **159**, 75
 Morello, G., Waldmann, I. P., Tinetti, G., et al. 2014, *ApJ*, **786**, 22
 Morton, T. D., Bryson, S. T., Coughlin, J. L., et al. 2016, *ApJ*, **822**, 86
 Močnik, T., Anderson, D. R., Brown, D. J. A., et al. 2016a, *PASP*, **128**, 124403
 Močnik, T., Clark, B. J. M., Anderson, D. R., Hellier, C., & Brown, D. J. A. 2016b, *AJ*, **151**, 150
 Močnik, T., Hellier, C., & Anderson, D. R. 2020, *PASP*, **132**, 014401
 Močnik, T., Hellier, C., Anderson, D. R., Clark, B. J. M., & Southworth, J. 2017a, *MNRAS*, **469**, 1622
 Močnik, T., Southworth, J., & Hellier, C. 2017b, *MNRAS*, **471**, 394
 Moyano, M., Almeida, L. A., von Essen, C., Jablonski, F., & Pereira, M. G. 2017, *MNRAS*, **471**, 650
 Murgas, F., Chen, G., Nortmann, L., Palle, E., & Nowak, G. 2020, *A&A*, **641**, A158
 Murgas, F., Chen, G., Pallé, E., Nortmann, L., & Nowak, G. 2019, *A&A*, **622**, A172
 Murgas, F., Pallé, E., Parviainen, H., et al. 2017, *A&A*, **605**, A114
 Murgas, F., Pallé, E., Zapatero Osorio, M. R., et al. 2014, *A&A*, **563**, A41
 Narita, N., Enya, K., Sato, B., et al. 2007, *PASJ*, **59**, 763
 Narita, N., Hirano, T., Sanchis-Ojeda, R., et al. 2010, *PASJ*, **62**, L61
 Nascimbeni, V., Cunial, A., Murabito, S., et al. 2013, *A&A*, **549**, A30
 Nascimbeni, V., Piotto, G., Bedin, L. R., & Damasso, M. 2011a, *A&A*, **527**, A85
 Nascimbeni, V., Piotto, G., Bedin, L. R., et al. 2011b, *A&A*, **532**, A24
 Nikolov, N., Chen, G., Fortney, J. J., et al. 2013, *A&A*, **553**, A26
 Nikolov, N., Sing, D. K., Burrows, A. S., et al. 2015, *MNRAS*, **447**, 463
 Nikolov, N., Sing, D. K., Fortney, J. J., et al. 2018, *Natur*, **557**, 526
 Nikolov, N., Sing, D. K., Pont, F., et al. 2014, *MNRAS*, **437**, 46
 Noyes, R. W., Bakos, G. Á., Torres, G., et al. 2008, *ApJL*, **673**, L79
 Oberst, T. E., Rodriguez, J. E., Colón, K. D., et al. 2017, *AJ*, **153**, 97
 O'Donovan, F. T., Charbonneau, D., Bakos, G. Á., et al. 2007, *ApJL*, **663**, L37
 O'Donovan, F. T., Charbonneau, D., Mandushev, G., et al. 2006, *ApJL*, **651**, L61
 Özeturk, O., & Erdem, A. 2019, *MNRAS*, **486**, 2290
 Pál, A., Bakos, G. Á., Fernandez, J., et al. 2009, *ApJ*, **700**, 783
 Pál, A., Sárnecký, K., Szabó, G. M., et al. 2011, *MNRAS*, **413**, L43
 Pál, A., Bakos, G. Á., Torres, G., et al. 2008, *ApJ*, **680**, 1450
 Parviainen, H., Pallé, E., Nortmann, L., et al. 2016, *A&A*, **585**, A114
 Patra, K. C., Winn, J. N., Holman, M. J., et al. 2017, *AJ*, **154**, 4
 Patra, K. C., Winn, J. N., Holman, M. J., et al. 2020, *AJ*, **159**, 150

- Pearson, K. A., Turner, J. D., & Sagan, T. G. 2014, *NewA*, **27**, 102
- Penev, K., Bakos, G. Á., Bayliss, D., et al. 2013, *AJ*, **145**, 5
- Pepper, J., Siverd, R. J., Beatty, T. G., et al. 2013, *ApJ*, **773**, 64
- Petrucci, R., Jofré, E., Ferrero, L. V., et al. 2018, *MNRAS*, **473**, 5126
- Petrucci, R., Jofré, E., Gómez Maqueo Chew, Y., et al. 2020, *MNRAS*, **491**, 1243
- Petrucci, R., Jofré, E., Melita, M., Gómez, M., & Mauas, P. 2015, *MNRAS*, **446**, 1389
- Pluriel, W., Whiteford, N., Edwards, B., et al. 2020, *AJ*, **160**, 112
- Poddaný, S., Brát, L., & Pejcha, O. 2010, *NewA*, **15**, 297
- Pollacco, D., Skillen, I., Collier Cameron, A., et al. 2008, *MNRAS*, **385**, 1576
- Quinn, S. N., Bakos, G. Á., Hartman, J., et al. 2012, *ApJ*, **745**, 80
- Rabus, M., Deeg, H. J., Alonso, R., Belmonte, J. A., & Almenara, J. M. 2009, *A&A*, **508**, 1011
- Raetz, S., Maciejewski, G., Ginski, C., et al. 2014, *MNRAS*, **444**, 1351
- Raetz, S., Maciejewski, G., Seeliger, M., et al. 2015, *MNRAS*, **451**, 4139
- Raetz, S., Mugrauer, M., Schmidt, T. O. B., et al. 2009a, *AN*, **330**, 475
- Raetz, S., Mugrauer, M., Schmidt, T. O. B., et al. 2009b, *AN*, **330**, 459
- Rauer, H., Erikson, A., Kabath, P., et al. 2010, *AJ*, **139**, 53
- Ribas, I., Font-Ribera, A., & Beaulieu, J.-P. 2008, *ApJL*, **677**, L59
- Ridden-Harper, A., Turner, J. D., & Jayawardhana, R. 2020, *AJ*, **160**, 249
- Rodriguez, J. E., Colón, K. D., Stassun, K. G., et al. 2016, *AJ*, **151**, 138
- Sada, P. V., Deming, D., Jennings, D. E., et al. 2012, *PASP*, **124**, 212
- Sada, P. V., & Ramón-Fox, F. G. 2016, *PASP*, **128**, 024402
- Sanchis-Ojeda, R., Winn, J. N., Holman, M. J., et al. 2011, *ApJ*, **733**, 127
- Santerne, A., Hébrard, G., Lillo-Box, J., et al. 2016, *ApJ*, **824**, 55
- Sato, B., Hartman, J. D., Bakos, G. Á., et al. 2012, *PASJ*, **64**, 97
- Sedaghati, E., Boffin, H. M. J., Csizmadia, S., et al. 2015, *A&A*, **576**, L11
- Seeliger, M., Dimitrov, D., Kjurkchieva, D., et al. 2014, *MNRAS*, **441**, 304
- Seeliger, M., Kitze, M., Errmann, R., et al. 2015, *MNRAS*, **451**, 4060
- Shporer, A., Bakos, G. Á., Bouchy, F., et al. 2009a, *ApJ*, **690**, 1393
- Shporer, A., Mazeh, T., Pont, F., et al. 2009b, *ApJ*, **694**, 1559
- Shporer, A., Tamuz, O., Zucker, S., & Mazeh, T. 2007, *MNRAS*, **376**, 1296
- Shporer, A., Wong, I., Huang, C. X., et al. 2019, *AJ*, **157**, 178
- Simpson, E. K., Faedi, F., Barros, S. C. C., et al. 2011b, *AJ*, **141**, 8
- Simpson, E. K., Pollacco, D., Cameron, A. C., et al. 2011a, *MNRAS*, **414**, 3023
- Sing, D. K., Lecavelier des Etangs, A., Fortney, J. J., et al. 2013, *MNRAS*, **436**, 2956
- Sing, D. K., Wakeford, H. R., Showman, A. P., et al. 2015, *MNRAS*, **446**, 2428
- Siverd, R. J., Beatty, T. G., Pepper, J., et al. 2012, *ApJ*, **761**, 123
- Skał, N., Bieger, M. F., Edwards, B., et al. 2020, *AJ*, **160**, 109
- Smalley, B., Anderson, D. R., Collier Cameron, A., et al. 2010, *A&A*, **520**, A56
- Smalley, B., Anderson, D. R., Collier-Cameron, A., et al. 2012, *A&A*, **547**, A61
- Smith, A. M. S. 2015, *AcA*, **65**, 117
- Smith, A. M. S., Anderson, D. R., Armstrong, D. J., et al. 2014, *A&A*, **570**, A64
- Smith, A. M. S., Anderson, D. R., Collier Cameron, A., et al. 2012, *AJ*, **143**, 81
- Sokov, E. N., Sokova, I. A., Dyachenko, V. V., et al. 2018, *MNRAS*, **480**, 291
- Soto, M. G., Díaz, M. R., Jenkins, J. S., et al. 2018, *MNRAS*, **478**, 5356
- Southworth, J. 2008, *MNRAS*, **386**, 1644
- Southworth, J., Bruni, I., Mancini, L., & Gregorio, J. 2012a, *MNRAS*, **420**, 2580
- Southworth, J., Dominik, M., Jørgensen, U. G., et al. 2019, *MNRAS*, **490**, 4230
- Southworth, J., & Evans, D. F. 2016, *MNRAS*, **463**, 37
- Southworth, J., Hinse, T. C., Burgdorf, M., et al. 2014, *MNRAS*, **444**, 776
- Southworth, J., Hinse, T. C., Burgdorf, M. J., et al. 2009a, *MNRAS*, **399**, 287
- Southworth, J., Hinse, T. C., Jørgensen, U. G., et al. 2009b, *MNRAS*, **396**, 1023
- Southworth, J., Mancini, L., Browne, P., et al. 2013, *MNRAS*, **434**, 1300
- Southworth, J., Mancini, L., Ciceri, S., et al. 2015b, *MNRAS*, **447**, 711
- Southworth, J., Mancini, L., Maxted, P. F. L., et al. 2012b, *MNRAS*, **422**, 3099
- Southworth, J., Mancini, L., Novati, S. C., et al. 2010, *MNRAS*, **408**, 1680
- Southworth, J., Mancini, L., Tregloan-Reed, J., et al. 2015a, *MNRAS*, **454**, 3094
- Southworth, J., Tregloan-Reed, J., Andersen, M. I., et al. 2016, *MNRAS*, **457**, 4205
- Southworth, J., Tregloan-Reed, J., Pinhas, A., et al. 2018, *MNRAS*, **481**, 4261
- Püsküllü, Ç., Soydugan, F., Erdem, A., & Budding, E. 2017, *NewA*, **55**, 39
- Sozzetti, A., Bonomo, A. S., Biazzo, K., et al. 2015, *A&A*, **575**, L15
- Sozzetti, A., Torres, G., Charbonneau, D., et al. 2009, *ApJ*, **691**, 1145
- Spake, J. J., Brown, D. J. A., Doyle, A. P., et al. 2016, *PASP*, **128**, 024401
- Stefansson, G., Mahadevan, S., Hebb, L., et al. 2017, *ApJ*, **848**, 9
- Stevenson, K. B., Bean, J. L., Seifahrt, A., et al. 2014, *AJ*, **147**, 161
- Stevenson, K. B., Bean, J. L., Seifahrt, A., et al. 2016, *ApJ*, **817**, 141
- Street, R. A., Simpson, E., Barros, S. C. C., et al. 2010, *ApJ*, **720**, 337
- Sun, L., Gu, S., Wang, X., et al. 2017, *AJ*, **153**, 28
- Sun, L.-L., Gu, S.-H., Wang, X.-B., et al. 2015, *RAA*, **15**, 117
- Sun, Z., Ji, J.-h., & Dong, Y. 2018, *ChA&A*, **42**, 101
- Temple, L. Y., Hellier, C., Albrow, M. D., et al. 2017, *MNRAS*, **471**, 2743
- Todorov, K. O., Deming, D., Knutson, H. A., et al. 2012, *ApJ*, **746**, 111
- Torres, G., Bakos, G. Á., Hartman, J., et al. 2010, *ApJ*, **715**, 458
- Torres, G., Bakos, G. Á., Kovács, G., et al. 2007, *ApJL*, **666**, L121
- Torres, G., Winn, J. N., & Holman, M. J. 2008, *ApJ*, **677**, 1324
- Tregloan-Reed, J., & Southworth, J. 2013, *MNRAS*, **431**, 966
- Tregloan-Reed, J., Southworth, J., Burgdorf, M., et al. 2015, *MNRAS*, **450**, 1760
- Tregloan-Reed, J., Southworth, J., Mancini, L., et al. 2018, *MNRAS*, **474**, 5485
- Tregloan-Reed, J., Southworth, J., & Tappert, C. 2013, *MNRAS*, **428**, 3671
- Triaud, A. H. M. J., Anderson, D. R., Collier Cameron, A., et al. 2013, *A&A*, **551**, A80
- Triaud, A. H. M. J., Collier Cameron, A., Queloz, D., et al. 2010, *A&A*, **524**, A25
- Triaud, A. H. M. J., Gillon, M., Ehrenreich, D., et al. 2015, *MNRAS*, **450**, 2279
- Triaud, A. H. M. J., Neveu-VanMalle, M., Lendl, M., et al. 2017, *MNRAS*, **467**, 1714
- Triaud, A. H. M. J., Queloz, D., Hellier, C., et al. 2011, *A&A*, **531**, A24
- Tripathi, A., Winn, J. N., Johnson, J. A., et al. 2010, *ApJ*, **715**, 421
- Tsiaras, A., Waldmann, I. P., Rocchetto, M., et al. 2016, Pylightcurve: Exoplanet Lightcurve Model, Astrophysics Source Code Library, ascl:1612.018
- Tsiaras, A., Waldmann, I. P., Zingales, T., et al. 2018, *AJ*, **155**, 156
- Turner, J. D., Leiter, R. M., Biddle, L. I., et al. 2017, *MNRAS*, **472**, 3871
- Turner, J. D., Pearson, K. A., Biddle, L. I., et al. 2016, *MNRAS*, **459**, 789
- Turner, J. D., Ridden-Harper, A., & Jayawardhana, R. 2021, *AJ*, **161**, 72
- Turner, J. D., Smart, B. M., Hardegree-Ullman, K. K., et al. 2013, *MNRAS*, **428**, 678
- Vanderburg, A., Becker, J. C., Buchhave, L. A., et al. 2017, *AJ*, **154**, 237
- Villanueva, S. J., Eastman, J. D., & Gaudi, B. S. 2016, *ApJ*, **820**, 87
- Virtanen, P., Gommers, R., Oliphant, T. E., et al. 2020, *NatMe*, **17**, 261
- von Essen, C., Schröter, S., Agol, E., & Schmitt, J. H. M. M. 2013, *A&A*, **555**, A92
- von Essen, C., Wedemeyer, S., Sosa, M. S., et al. 2019, *A&A*, **628**, A116
- Wakeford, H. R., Sing, D. K., Kataria, T., et al. 2017, *Sci*, **356**, 628
- Wakeford, H. R., Sing, D. K., Stevenson, K. B., et al. 2020, *AJ*, **159**, 204
- Wang, S., Wang, X.-Y., Wang, Y.-H., et al. 2018a, *AJ*, **156**, 181
- Wang, X.-B., Gu, S.-H., Collier Cameron, A., et al. 2013, *RAA*, **13**, 593
- Wang, X.-B., Gu, S.-H., Collier Cameron, A., et al. 2014, *AJ*, **147**, 92
- Wang, X.-Y., Wang, S., Hinse, T. C., et al. 2018b, *PASP*, **130**, 064401
- Wang, Y.-H., Wang, S., Hinse, T. C., et al. 2019, *AJ*, **157**, 82
- Wang, Y.-H., Wang, S., Liu, H.-G., et al. 2017, *AJ*, **154**, 49
- West, R. G., Anderson, D. R., Gillon, M., et al. 2009b, *AJ*, **137**, 4834
- West, R. G., Collier Cameron, A., Hebb, L., et al. 2009a, *A&A*, **502**, 395
- West, R. G., Hellier, C., Almenara, J. M., et al. 2016, *A&A*, **585**, A126
- Wilkins, A. N., Delrez, L., Barker, A. J., et al. 2017, *ApJL*, **836**, L24
- Wilson, D. M., Enoch, B., Christian, D. J., et al. 2006, *PASP*, **118**, 1245
- Wilson, D. M., Gillon, M., Hellier, C., et al. 2008, *ApJL*, **675**, L113
- Winn, J. N., Holman, M. J., Bakos, G. Á., et al. 2007b, *AJ*, **134**, 1707
- Winn, J. N., Holman, M. J., Carter, J. A., et al. 2009a, *AJ*, **137**, 3826
- Winn, J. N., Holman, M. J., & Roussanova, A. 2007a, *ApJ*, **657**, 1098
- Winn, J. N., Holman, M. J., Torres, G., et al. 2008, *ApJ*, **683**, 1076
- Winn, J. N., Howard, A. W., Johnson, J. A., et al. 2011, *AJ*, **141**, 63
- Winn, J. N., Johnson, J. A., Fabrycky, D., et al. 2009b, *ApJ*, **700**, 302
- Winn, J. N., Johnson, J. A., Howard, A. W., et al. 2010, *ApJL*, **723**, L223
- Wong, I., Knutson, H. A., Cowan, N. B., et al. 2014, *ApJ*, **794**, 134
- Wong, I., Knutson, H. A., Kataria, T., et al. 2016, *ApJ*, **823**, 122
- Wong, I., Knutson, H. A., Lewis, N. K., et al. 2015, *ApJ*, **811**, 122
- Wong, I., Shporer, A., Daylan, T., et al. 2020, *AJ*, **160**, 155
- Wyttenbach, A., Lovis, C., Ehrenreich, D., et al. 2017, *A&A*, **602**, A36
- Baştürk, Ö., Yalçınkaya, S., Esmer, E. M., et al. 2020, *MNRAS*, **496**, 4174
- Yan, F., Espinoza, N., Molaverdikhani, K., et al. 2020, *A&A*, **642**, A98
- Yee, S. W., Winn, J. N., Knutson, H. A., et al. 2020, *ApJL*, **888**, L5
- Zellem, R. T., Pearson, K. A., Blaser, E., et al. 2020, *PASP*, **132**, 054401
- Zhao, M., O'Rourke, J. G., Wright, J. T., et al. 2014, *ApJ*, **796**, 115
- Zhou, G., Bayliss, D., Penev, K., et al. 2014, *AJ*, **147**, 144